

LIST OF UCI APPROVED WHEELS
- SINCE 01.01.2016 -
(NON-TRADITIONAL WHEELS IN CONFORMITY WITH ARTICLE 1.3.018)

Version on 29.06.2018

The new Approval Procedure for the wheels came into force on 1 January 2016 in accordance with Article 1.3.018 of the UCI Regulations.

From this date, all new models of wheels used by licence holders in road (mass start) and cyclo-cross events must be approved on the basis of the *Approval protocol for wheels* available on the UCI website.

For a reminder, the models produced from 2000 to 31.12.2015 had the obligation to be approved under the previous approval procedure (impact test at SIRRIS laboratory).

The wheels approved under the previous approval procedure until 31.12.2015 are still allowed in competition, and do not need to be reaproved under the new approval procedure.

The models which are subject to the new approval procedure are :

- All the new models of wheels used by licence holders in road (mass start) and cyclo-cross events
- The models not yet approved and used in competition, even if they were produced before the 1st January 2016
- The existing models with any changes made to the geometry or the characteristics

The wheels which meet the definition of traditional wheels do not need to be certified. A traditional wheel is defined with a rim height of less than 25mm, a rim in aluminium, a minimum number of 20 steel spokes which are detachable, and all components must be identifiable and commercially available.

At the end of the procedure, the manufacturer's name, the name of the wheel model approved, the technical characteristics of the wheel and the date of approval are added in this list, which will be updated each time a new model is approved.

Approved wheels must be clearly identified. If this is not the case, the wheel is not allowed in competition.

3T CYCLING

| | | | |
|---------------------|-----------|-----------|---------------------|
| 3T Discus T 45 Team | 45 mm rim | 24 spokes | Approved 23.01.2018 |
| 3T Discus T 60 Team | 60 mm rim | 24 spokes | Approved 23.01.2018 |

4ZA

| | | | |
|---------------------------|-----------|-----------|---------------------|
| - CIRRUS PRO T30 350 DISC | 30 mm rim | 24 spokes | Approved 26.07.2016 |
| - CIRRUS PRO T45 350 DISC | 45 mm rim | 24 spokes | Approved 26.07.2016 |
| - CIRRUS PRO C30 DT240 | 30 mm rim | 20 spokes | Approved 16.11.2016 |
| - CIRRUS PRO C30 DT350 | 30 mm rim | 24 spokes | Approved 16.11.2016 |
| - CIRRUS PRO C45 DT240 | 45 mm rim | 20 spokes | Approved 16.11.2016 |
| - CIRRUS PRO C45 DT350 | 45 mm rim | 24 spokes | Approved 16.11.2016 |
| - CIRRUS PRO T30 DT240 | 30 mm rim | 20 spokes | Approved 16.11.2016 |
| - CIRRUS PRO T30 DT350 | 30 mm rim | 24 spokes | Approved 16.11.2016 |
| - CIRRUS PRO T45 DT240 | 45 mm rim | 20 spokes | Approved 16.11.2016 |
| - CIRRUS PRO T45 DT350 | 45 mm rim | 24 spokes | Approved 16.11.2016 |

AERLITE

| | | | |
|--------------------------|-----------|-----------|---------------------|
| - Elite 33 | 33 mm rim | 20 spokes | Approved 21.11.2016 |
| - Elite 55 | 55 mm rim | 20 spokes | Approved 21.11.2016 |
| - Elite 88 | 88 mm rim | 20 spokes | Approved 21.11.2016 |
| - Team 50 tubular | 50 mm rim | 20 spokes | Approved 22.02.2017 |
| - Team 36 tubular | 36 mm rim | 20 spokes | Approved 22.02.2017 |
| - Elite Gen. 4 38-C | 38 mm rim | 20 spokes | Approved 17.05.2017 |
| - Elite Gen. 4 38-T | 38 mm rim | 20 spokes | Approved 17.05.2017 |
| - Elite Gen. 4 38-T Disc | 38 mm rim | 24 spokes | Approved 17.05.2017 |
| - Elite Gen. 4 60-C | 60 mm rim | 20 spokes | Approved 17.05.2017 |
| - Elite Gen. 4 60-T | 60 mm rim | 20 spokes | Approved 17.05.2017 |
| - Elite Gen. 4 60-T Disc | 60 mm rim | 24 spokes | Approved 17.05.2017 |

AIRSTREEM

| | | | |
|---------------------------|-----------|-----------|---------------------|
| - ALC 50 Aeroshape | 45 mm rim | 20 spokes | Approved 22.12.2016 |
| - Carbon Aero 50 Clincher | 48 mm rim | 20 spokes | Approved 22.12.2016 |
| - Carbon Aero 85 | 80 mm rim | 20 spokes | Approved 22.12.2016 |
| - Carbon Aero 50 | 48 mm rim | 20 spokes | Approved 22.12.2016 |
| - Carbon Aero 50 SL | 48 mm rim | 20 spokes | Approved 22.12.2016 |

ALTO CYCLING

| | | | |
|---------|-----------|-----------|---------------------|
| - A26 | 26 mm rim | 20 spokes | Approved 14.12.2016 |
| - AX26 | 28 mm rim | 24 spokes | Approved 14.12.2016 |
| - CC40 | 40 mm rim | 20 spokes | Approved 14.12.2016 |
| - CT40 | 40 mm rim | 20 spokes | Approved 14.12.2016 |
| - CCX40 | 40 mm rim | 24 spokes | Approved 14.12.2016 |
| - CTX40 | 40 mm rim | 24 spokes | Approved 14.12.2016 |
| - CC56 | 56 mm rim | 20 spokes | Approved 14.12.2016 |
| - CT56 | 56 mm rim | 20 spokes | Approved 14.12.2016 |
| - CCX56 | 56 mm rim | 24 spokes | Approved 14.12.2016 |
| - CTX56 | 56 mm rim | 24 spokes | Approved 14.12.2016 |
| - CC86 | 86 mm rim | 20 spokes | Approved 14.12.2016 |
| - CT86 | 86 mm rim | 20 spokes | Approved 14.12.2016 |

AMARROW

| | | | |
|------------------|-----------|-----------|---------------------|
| - AmArrow FCC3.8 | 38 mm rim | 20 spokes | Approved 15.11.2016 |
| - AmArrow FCC5.0 | 50 mm rim | 20 spokes | Approved 15.11.2016 |

ASCENT

| | | | |
|-----------------|-----------|-----------|---------------------|
| - Hilly Tubular | 44 mm rim | 20 spokes | Approved 23.02.2018 |
| - Mount Tubular | 38 mm rim | 20 spokes | Approved 23.02.2018 |
| - Nippy Tubular | 50 mm rim | 20 spokes | Approved 23.02.2018 |

ASTERION WHEELS

| | | | |
|---------------------|-----------|-----------|---------------------|
| - Edition one 38 SL | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - Edition one 50 SL | 50 mm rim | 20 spokes | Approved 10.08.2016 |

ATTAQUEBIKE

| | | | |
|----------------|-----------|-----------|---------------------|
| - ATTA-T451-RD | 45 mm rim | 20 spokes | Approved 19.01.2018 |
| - T602 | 60 mm rim | 20 spokes | Approved 20.04.2018 |

AURORA RACING

| | | | |
|------|-----------|-----------|---------------------|
| - A5 | 50 mm rim | 20 spokes | Approved 03.11.2017 |
|------|-----------|-----------|---------------------|

AVIIAV

| | | | |
|----------------------|-----------|-----------|---------------------|
| - AEROV50 V2 | 50 mm rim | 20 spokes | Approved 20.02.2017 |
| - AEROV35 V2 TUBULAR | 35 mm rim | 20 spokes | Approved 20.04.2017 |

AX-LIGHTNESS

| | | | |
|----------------------|-----------|-----------|---------------------|
| - Selection 25 T | 25 mm rim | 20 spokes | Approved 09.03.2018 |
| - Selection 28 C TLR | 28 mm rim | 20 spokes | Approved 09.03.2018 |
| - Selection 38 T | 38 mm rim | 20 spokes | Approved 09.03.2018 |
| - Selection 45 C TLR | 45 mm rim | 20 spokes | Approved 09.03.2018 |
| - Ultra 25 T | 25 mm rim | 20 spokes | Approved 09.03.2018 |
| - Ultra 28 C TLR | 28 mm rim | 20 spokes | Approved 09.03.2018 |
| - Ultra 38 T | 38 mm rim | 20 spokes | Approved 09.03.2018 |
| - Ultra 45 C TLR | 45 mm rim | 20 spokes | Approved 09.03.2018 |
| - Ultra 55 T | 55 mm rim | 16 spokes | Approved 09.03.2018 |

BLADE WHEELS

| | | | |
|------------------|-----------|-----------|---------------------|
| - C60 | 60 mm rim | 20 spokes | Approved 22.11.2016 |
| - C45 Ultra | 45 mm rim | 20 spokes | Approved 22.11.2016 |
| - C45 Ultra Disc | 45 mm rim | 24 spokes | Approved 22.11.2016 |
| - C38 | 38 mm rim | 20 spokes | Approved 22.11.2016 |

BLKTEC

| | | | |
|-------|-----------|-----------|---------------------|
| - C1 | 45 mm rim | 12 spokes | Approved 14.12.2016 |
| - C1C | 45 mm rim | 12 spokes | Approved 14.12.2016 |
| - C3 | 30 mm rim | 20 spokes | Approved 14.12.2016 |
| - C3C | 30 mm rim | 20 spokes | Approved 14.12.2016 |
| - C4 | 40 mm rim | 20 spokes | Approved 14.12.2016 |
| - C4C | 40 mm rim | 20 spokes | Approved 14.12.2016 |
| - C5 | 50 mm rim | 20 spokes | Approved 14.12.2016 |
| - C5C | 55 mm rim | 20 spokes | Approved 14.12.2016 |

BOLA PRO

| | | | |
|------|-----------|-----------|---------------------|
| - R5 | 50 mm rim | 20 spokes | Approved 21.07.2017 |
|------|-----------|-----------|---------------------|

BONTRAGER

| | | | |
|--------------------------------------|-----------|-----------|---------------------|
| - Aeolus XXX 6 Tubular (ex-Aeolus 6) | 60 mm rim | 18 spokes | Approved 22.03.2016 |
| - Aeolus 5 TLR | 50 mm rim | 18 spokes | Approved 18.08.2016 |
| - Aeolus 9 TLR | 90 mm rim | 18 spokes | Approved 13.03.2017 |
| - Aeolus 3 TLR | 35 mm rim | 18 spokes | Approved 13.03.2017 |
| - Aeolus 7 TLR | 70 mm rim | 18 spokes | Approved 13.03.2017 |
| - Aeolus XXX 2 Tubular | 28 mm rim | 18 spokes | Approved 13.03.2017 |
| - Aeolus XXX 6 Clincher | 60 mm rim | 18 spokes | Approved 13.03.2017 |
| - XXX 4 Tubular Disc (24H) | 47 mm rim | 24 spokes | Approved 16.02.2018 |
| - XXX 6 Tubular Disc (24H) | 60 mm rim | 24 spokes | Approved 16.02.2018 |
| - Aeolus XXX 2 Tubular Disc (24H) | 28 mm rim | 24 spokes | Approved 09.03.2018 |
| - Aeolus XXX 4 Tubular (18H) | 47 mm rim | 18 spokes | Approved 09.03.2018 |
| - Bontrager Aeolus Comp Disc | 50 mm rim | 24 spokes | Approved 08.06.2018 |
| - Bontrager Aeolus XXX 4 Clincher | 47 mm rim | 18 spokes | Approved 08.06.2018 |
| - Bontrager XXX 4 Tubular Disc | 47 mm rim | 24 spokes | Approved 08.06.2018 |

CAMPAGNOLO

| | | | |
|-------------------|-----------|-----------|---------------------|
| - BORA ONE 35 DB | 35 mm rim | 24 spokes | Approved 11.05.2018 |
| - BORA ONE 50 DB | 50 mm rim | 24 spokes | Approved 11.05.2018 |
| - BORA ONE WTO 77 | 77 mm rim | 16 spokes | Approved 11.05.2018 |

CADEN

| | | | |
|-------------------|-----------|-----------|---------------------|
| - Race Balance 38 | 38 mm rim | 18 spokes | Approved 14.11.2016 |
|-------------------|-----------|-----------|---------------------|



| | | | | |
|---|-----------------|-----------|-----------|---------------------|
| - | Race Balance 49 | 49 mm rim | 18 spokes | Approved 14.11.2016 |
| - | Race Balance 59 | 59 mm rim | 18 spokes | Approved 14.11.2016 |
| - | Race Balance 81 | 81 mm rim | 18 spokes | Approved 14.11.2016 |

CARBONRACING

| | | | | |
|---|--------|-----------|-----------|---------------------|
| - | CR5-55 | 55 mm rim | 20 spokes | Approved 22.06.2018 |
|---|--------|-----------|-----------|---------------------|

CES SPORT

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | RC38 | 38 mm rim | 20 spokes | Approved 16.02.2018 |
| - | RC50 | 50 mm rim | 20 spokes | Approved 16.02.2018 |
| - | RC60 | 60 mm rim | 20 spokes | Approved 16.02.2018 |
| - | RC88 | 88 mm rim | 20 spokes | Approved 16.02.2018 |

CITEC

| | | | | |
|---|-------------------------------|-------------|-----------|---------------------|
| - | Citec 8000 Ultra | 77.8 mm | 16 spokes | Approved 20.04.2018 |
| - | Citec 8000 Ultra/63 | 61 mm rim | 16 spokes | Approved 20.04.2018 |
| - | Citec 8000 CX Carbon | 78.4 mm rim | 12 spokes | Approved 20.04.2018 |
| - | Citec 8000 Ultra CX/53 Carbon | 53 mm rim | 12 spokes | Approved 20.04.2018 |
| - | Citec 8000 Ultra CX/63 Carbon | 61.7 mm rim | 12 spokes | Approved 20.04.2018 |

CLIMAX

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | RW06 | 48 mm rim | 20 spokes | Approved 22.06.2018 |
|---|------|-----------|-----------|---------------------|

CORIMA

| | | | | |
|---|--------------------|-----------|-----------|---------------------|
| - | 32 S1 Boyau | 32mm rim | 18 spokes | Approved 31.03.2017 |
| - | 32 S+ Boyau | 32 mm rim | 18 spokes | Approved 31.03.2017 |
| - | 32 WS Boyau | 32mm rim | 18 spokes | Approved 31.03.2017 |
| - | 32 WS Boyau disque | 32 mm rim | 20 spokes | Approved 31.03.2017 |
| - | 32 MCC S+ Boyau | 32 mm rim | 12 spokes | Approved 31.03.2017 |
| - | 47 WS Boyau | 47mm rim | 18 spokes | Approved 31.03.2017 |
| - | 47 S+ Boyau | 47 mm rim | 18 spokes | Approved 31.03.2017 |
| - | 47 MCC S+ Boyau | 47 mm rim | 12 spokes | Approved 31.03.2017 |
| - | 58 WS+ pneu | 58 mm rim | 18 spokes | Approved 31.03.2017 |
| - | 58 S+ Boyau | 58 mm rim | 18 spokes | Approved 31.03.2017 |
| - | 32 WS pneu disque | 32 mm rim | 20 spokes | Approved 06.04.2018 |
| - | 32 WS pneu | 32 mm rim | 18 spokes | Approved 06.04.2018 |
| - | 32 WS+ pneu | 32 mm rim | 18 spokes | Approved 06.04.2018 |
| - | 47 MCC WS+ pneu | 47 mm rim | 12 spokes | Approved 06.04.2018 |
| - | 47 WS boyau disque | 47 mm rim | 20 spokes | Approved 06.04.2018 |
| - | 47 WS pneu | 47 mm rim | 18 spokes | Approved 06.04.2018 |
| - | 47 WS+ pneu | 47 mm rim | 18 spokes | Approved 06.04.2018 |

CRAFTWORX

| | | | | |
|---|-------------------|-----------|-----------|---------------------|
| - | ULTIMA CARBON C28 | 28 mm rim | 20 spokes | Approved 31.07.2017 |
| - | ULTIMA CARBON C38 | 38 mm rim | 20 spokes | Approved 31.07.2017 |
| - | ULTIMA CARBON C50 | 50mm rim | 20 spokes | Approved 31.07.2017 |

CURVE CYCLING

| | | | | |
|---|-------------|-----------|-----------|---------------------|
| - | Curve G4 35 | 35 mm rim | 20 spokes | Approved 22.02.2017 |
| - | Curve G4 45 | 45 mm rim | 20 spokes | Approved 22.02.2017 |
| - | Curve G4 55 | 55 mm rim | 20 spokes | Approved 22.02.2017 |
| - | Curve G4 70 | 69 mm rim | 20 spokes | Approved 22.02.2017 |

DANISH BIKE

| | | | | |
|---|--------|-----------|-----------|---------------------|
| - | Kelvin | 55 mm rim | 20 spokes | Approved 18.05.2018 |
|---|--------|-----------|-----------|---------------------|

DARKHORSE WHEELS

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | DH50 | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | DH60 | 60 mm rim | 20 spokes | Approved 27.09.2016 |
| - | DH88 | 88 mm rim | 24 spokes | Approved 27.09.2016 |
| - | DH36 | 36 mm rim | 20 spokes | Approved 21.11.2016 |

DEDA ELEMENTI

List of UCI approved wheels



| | | | | |
|---|--------|-----------|-----------|---------------------|
| - | SL30DB | 30 mm rim | 24 spokes | Approved 19.01.2018 |
| - | SL38C | 38 mm rim | 18 spokes | Approved 19.01.2018 |
| - | SL88 | 88 mm rim | 18 spokes | Approved 16.02.2018 |

DEBELLO

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | R38T | 38 mm rim | 20 spokes | Approved 07.02.2017 |
| - | R60T | 60 mm rim | 20 spokes | Approved 07.02.2017 |
| - | R45T PRO | 45 mm rim | 20 spokes | Approved 07.02.2017 |

DETEC

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | KRIS-502 | 50 mm rim | 18 spokes | Approved 11.08.2016 |
| - | KRIS-382 | 38 mm rim | 18 spokes | Approved 24.11.2016 |
| - | VITE-604 | 60 mm rim | 18 spokes | Approved 24.11.2016 |
| - | VITE-504 | 50 mm rim | 18 spokes | Approved 24.11.2016 |
| - | VITE-382 | 38 mm rim | 18 spokes | Approved 24.11.2016 |
| - | ELITE-55 | 55 mm rim | 18 spokes | Approved 24.11.2016 |

DOCTOR WHEEL

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | DRWL T38 | 38 mm rim | 20 spokes | Approved 09.08.2017 |
|---|----------|-----------|-----------|---------------------|

DT SWISS

| | | | | |
|---|-------------------------------|-----------|-----------|---------------------|
| - | R32 Spline | 32 mm rim | 20 spokes | Approved 30.03.2016 |
| - | R32 Spline db | 32 mm rim | 24 spokes | Approved 30.03.2016 |
| - | RC 28 Spline C | 28 mm rim | 20 spokes | Approved 30.03.2016 |
| - | RC 28 Spline C Mon Chasseral | 28 mm rim | 20 spokes | Approved 30.03.2016 |
| - | RC 38 Spline C | 38 mm rim | 20 spokes | Approved 30.03.2016 |
| - | RC 38 Spline T db | 38 mm rim | 24 spokes | Approved 30.03.2016 |
| - | RC 55 Spline C | 55 mm rim | 20 spokes | Approved 30.03.2016 |
| - | RRC 65 Dicut C | 65 mm rim | 16 spokes | Approved 30.03.2016 |
| - | RC 28 Spline C db | 28 mm rim | 24 spokes | Approved 30.03.2016 |
| - | RC 38 Spline C Mon Chasseral | 38 mm rim | 20 spokes | Approved 30.03.2016 |
| - | RC 38 Spline T Mon Chasseral | 38 mm rim | 20 spokes | Approved 30.03.2016 |
| - | RC 38 Spline C db | 38 mm rim | 24 spokes | Approved 30.03.2016 |
| - | ERC 1100 Dicut 47 db | 47mm rim | 24 spokes | Approved 24.11.2017 |
| - | ERC 1400 Spline 47 db | 47mm rim | 24 spokes | Approved 24.11.2017 |
| - | PRC 1400 Spline 35 db | 35 mm rim | 24 spokes | Approved 24.11.2017 |
| - | PRC 1400 Spline 35 rb | 35 mm rim | 20 spokes | Approved 24.11.2017 |
| - | PRC 1400 Spline 65 db | 65 mm rim | 24 spokes | Approved 24.11.2017 |
| - | PRC 1400 Spline 65 rb | 65 mm rim | 20 spokes | Approved 24.11.2017 |
| - | ER 1600 Spline 32 db | 32 mm rim | 24 spokes | Approved 24.11.2017 |
| - | PR 1600 Spline 32 db | 32 mm rim | 24 spokes | Approved 24.11.2017 |
| - | PR 1600 Spline 32 rb | 32 mm rim | 20 spokes | Approved 24.11.2017 |
| - | ARC 1100 Dicut 48 db | 48 mm rim | 24 spokes | Approved 06.04.2018 |
| - | ARC 1100 Dicut 48 rb | 48 mm rim | 20 spokes | Approved 06.04.2018 |
| - | ARC 1100 Dicut 62 db | 62 mm rim | 24 spokes | Approved 06.04.2018 |
| - | ARC 1100 Dicut 62 rb | 62 mm rim | 16 spokes | Approved 06.04.2018 |
| - | ARC 1100 Dicut 80 db | 80 mm rim | 24 spokes | Approved 06.04.2018 |
| - | ARC 1100 Dicut 80 rb | 80 mm rim | 16 spokes | Approved 06.04.2018 |
| - | ARC 1400 Dicut 48 db | 48 mm rim | 24 spokes | Approved 06.04.2018 |
| - | ARC 1400 Dicut 48 rb | 48 mm rim | 20 spokes | Approved 06.04.2018 |
| - | ARC 1400 Dicut 62 db | 62 mm rim | 24 spokes | Approved 06.04.2018 |
| - | ARC 1400 Dicut 62 rb | 62 mm rim | 16 spokes | Approved 06.04.2018 |
| - | CRC 1100 Spline 38 db Tubular | 38 mm rim | 24 spokes | Approved 06.04.2018 |
| - | PRC 1100 Dicut 35 rb | 35 mm rim | 20 spokes | Approved 06.04.2018 |
| - | PR 1400 Oxid Dicut 32 rb | 32 mm rim | 20 spokes | Approved 06.04.2018 |
| - | PRC 1100 Dicut 35 db | 35 mm rim | 24 spokes | Approved 06.04.2018 |
| - | ARC 1400 Dicut 80 db | 80 mm rim | 24 spokes | Approved 04.05.2018 |
| - | ARC 1400 Dicut 80 rb | 80 mm rim | 16 spokes | Approved 18.05.2018 |
| - | PRC 1100 Dicut MC 35 rb | 35 mm rim | 18 spokes | Approved 18.05.2018 |

EDCO

| | | | | |
|---|-----------------------|-----------|-----------|---------------------|
| - | ProSport Julier Light | 28 mm rim | 18 spokes | Approved 22.04.2016 |
|---|-----------------------|-----------|-----------|---------------------|



| | | | |
|----------------------------|-----------|-----------|---------------------|
| - ProSport Pillon Light | 35 mm rim | 18 spokes | Approved 22.04.2016 |
| - ProSport Albis Light | 50 mm rim | 18 spokes | Approved 22.04.2016 |
| - AeroSport Umbrial Light | 45 mm rim | 16 spokes | Approved 22.04.2016 |
| - AeroSport Umbrial | 45 mm rim | 16 spokes | Approved 22.04.2016 |
| - AeroSport Gesero | 65 mm rim | 16 spokes | Approved 22.04.2016 |
| - AeroSport Gesero Light | 65 mm rim | 16 spokes | Approved 22.04.2016 |
| - TrackSport Fluella Light | 85 mm rim | 24 spokes | Approved 06.03.2017 |

ENGAGE

| | | | |
|-----------|-----------|-----------|---------------------|
| - C 55 UD | 55 mm rim | 20 spokes | Approved 09.03.2018 |
|-----------|-----------|-----------|---------------------|

ENERGYLAB

| | | | |
|-----------------|-------------|-----------|---------------------|
| - VC40 Tubular | 40 mm rim | 20 spokes | Approved 15.11.2016 |
| - VC40 Clincher | 40 mm rim | 20 spokes | Approved 15.11.2016 |
| - VCD40 | 40 mm rim | 28 spokes | Approved 15.11.2016 |
| - VCD60 | 58 mm rim | 28 spokes | Approved 15.11.2016 |
| - VC90 | 87.5 mm rim | 20 spokes | Approved 15.11.2016 |

ENVE COMPOSITES

| | | | |
|------------------------------|-----------|-----------|---------------------|
| - 4X4 | 56 mm rim | 24 spokes | Approved 30.03.2016 |
| - SES 7.8 Clincher Rim Brake | 71 mm rim | 20 spokes | Approved 14.11.2016 |
| - SES 7.8 Tubular Rim Brake | 71 mm rim | 20 spokes | Approved 14.11.2016 |
| - SES 7.8 Disc | 71 mm rim | 24 spokes | Approved 14.11.2016 |
| - SES 3.4 CLINCHER DISC | 38 mm rim | 24 spokes | Approved 21.07.2017 |
| - SES 3.4 CLINCHER | 38 mm rim | 20 spokes | Approved 21.07.2017 |
| - SES 3.4 TUBULAR | 38 mm rim | 20 spokes | Approved 21.07.2017 |

FARSPORTS

| | | | |
|---------------|-----------|-----------|---------------------|
| - FAR 30 AERO | 30 mm rim | 20 spokes | Approved 10.08.2016 |
| - FAR 38 AERO | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - FAR 50 AERO | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - Ventoux C3 | 35 mm rim | 18 spokes | Approved 19.01.2018 |
| - Ventoux C5 | 45 mm rim | 18 spokes | Approved 19.01.2018 |

FASTFORWARD WHEELS

| | | | |
|-------------------------------------|-----------|-----------|---------------------|
| - FFWD Road F3 Tubular | 30 mm rim | 20 spokes | Approved 20.12.2016 |
| - FFWD Road F4 Tubular | 45 mm rim | 20 spokes | Approved 20.12.2016 |
| - FFWD Road F9 Full Carbon Clincher | 90 mm rim | 20 spokes | Approved 20.12.2016 |
| - FFWD Road F4 tubular DB | 45 mm rim | 24 spokes | Approved 13.04.2018 |
| - FFWD Road F9 tubular | 90 mm rim | 20 spokes | Approved 13.04.2018 |
| - FFWD Road F3 full carbon clincher | 30 mm rim | 20 spokes | Approved 13.04.2018 |
| - FFWD Road F4 full carbon clincher | 45 mm rim | 20 spokes | Approved 13.04.2018 |
| - FFWD Road F6 full carbon clincher | 60 mm rim | 20 spokes | Approved 13.04.2018 |

FASTR WHEELS

| | | | |
|---------|-----------|-----------|---------------------|
| - RT28A | 28 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC30A | 30 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC40A | 40 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC50A | 50 mm rim | 20 spokes | Approved 31.08.2016 |
| - RT30 | 30 mm rim | 20 spokes | Approved 31.08.2016 |
| - RT45 | 45 mm rim | 20 spokes | Approved 31.08.2016 |
| - RT55 | 55 mm rim | 20 spokes | Approved 31.08.2016 |
| - RT80 | 80 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC30 | 30 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC45 | 45 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC55 | 55 mm rim | 20 spokes | Approved 31.08.2016 |
| - RC80 | 80 mm rim | 20 spokes | Approved 31.08.2016 |

FLO CYCLING

| | | | |
|--------------------------|-----------|-----------|---------------------|
| - Flo30 | 30 mm rim | 20 spokes | Approved 19.01.2018 |
| - FLO 45 Carbon Clincher | 45 mm rim | 20 spokes | Approved 19.01.2018 |
| - FLO 60 Carbon Clincher | 64 mm rim | 20 spokes | Approved 19.01.2018 |
| - FLO 90 Carbon Clincher | 90 mm rim | 20 spokes | Approved 19.01.2018 |



| | | | | |
|---|--------------------------|-----------|-----------|---------------------|
| - | Flo 60 Aluminum + Carbon | 60 mm rim | 20 spokes | Approved 19.01.2018 |
| - | Flo 90 Aluminum + Carbon | 90 mm rim | 20 spokes | Approved 19.01.2018 |

FOIL

| | | | | |
|---|--------------|-----------|-----------|---------------------|
| - | F38 Clincher | 38 mm rim | 20 spokes | Approved 30.03.2016 |
| - | F38 Tubular | 38 mm rim | 20 spokes | Approved 30.03.2016 |
| - | F50 Clincher | 50 mm rim | 20 spokes | Approved 30.03.2016 |
| - | F50 Tubular | 50 mm rim | 20 spokes | Approved 30.03.2016 |
| - | F60 Clincher | 60 mm rim | 20 spokes | Approved 30.03.2016 |
| - | F60 Tubular | 60 mm rim | 20 spokes | Approved 30.03.2016 |
| - | F88 Clincher | 88 mm rim | 20 spokes | Approved 27.09.2016 |
| - | F88 Tubular | 88 mm rim | 20 spokes | Approved 27.09.2016 |

FORZA

| | | | | |
|---|----------------|-----------|-----------|---------------------|
| - | R45_19CC Disc | 45 mm rim | 24 spokes | Approved 06.04.2018 |
| - | R45_19CC | 45 mm rim | 20 spokes | Approved 06.04.2018 |
| - | R45_19CC DT370 | 45 mm rim | 24 spokes | Approved 06.04.2018 |

FSE

| | | | | |
|---|---------|-----------|-----------|---------------------|
| - | EVO 35C | 35 mm rim | 20 spokes | Approved 10.08.2016 |
| - | EVO 45C | 45 mm rim | 20 spokes | Approved 10.08.2016 |
| - | EVO 55T | 55 mm rim | 20 spokes | Approved 10.08.2016 |

FULCRUM WHEELS S.R.L.

| | | | | |
|---|--------------|-----------|-----------|---------------------|
| - | SPEED 40T | 40 mm rim | 18 spokes | Approved 27.09.2016 |
| - | SPEED 40T DB | 40 mm rim | 21 spokes | Approved 27.09.2016 |
| - | SPEED 55T | 55 mm rim | 18 spokes | Approved 27.09.2016 |

FULLCARBON

| | | | | |
|---|----------------------------|-----------|-----------|---------------------|
| - | Fullcarbon VAIN 40 | 38 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Fullcarbon VAIN 60 | 60 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Fullcarbon VAIN 90 | 88 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Fullcarbon Cruise 90 | 88 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Fullcarbon Cruise 60 | 60 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Fullcarbon Cruise 40 | 38 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Rebel 90 w. DT240s upgrade | 88 mm rim | 20 spokes | Approved 09.02.2017 |
| - | Rebel 50 w. DT240s upgrade | 50 mm rim | 20 spokes | Approved 09.02.2017 |

GIANT

| | | | | |
|---|------------------------|-----------|-----------|---------------------|
| - | SLR 0 CLIMBING | 30 mm rim | 16 spokes | Approved 30.03.2016 |
| - | SLR 0 AERO | 55 mm rim | 16 spokes | Approved 30.03.2016 |
| - | SLR 0 AERO TUBULAR | 55 mm rim | 16 spokes | Approved 08.12.2016 |
| - | SLR 0 42 TUBULAR | 42 mm rim | 16 spokes | Approved 08.12.2016 |
| - | SLR 0 CLIMBING TUBULAR | 30 mm rim | 16 spokes | Approved 08.12.2016 |
| - | SLR 1 AERO | 55 mm rim | 16 spokes | Approved 08.12.2016 |
| - | SLR 1 CLIMBING | 30 mm rim | 16 spokes | Approved 08.12.2016 |
| - | SLR 0 Disc | 30 mm rim | 21 spokes | Approved 20.12.2016 |
| - | SLR 0 AERO DISC | 55 mm rim | 21 spokes | Approved 20.12.2016 |
| - | SLR 0 42 DISC TUBULAR | 42 mm rim | 21 spokes | Approved 20.12.2016 |
| - | SLR 0 42 DISC | 42 mm rim | 21 spokes | Approved 20.12.2016 |
| - | SLR 0 42 | 42 mm rim | 16 spokes | Approved 20.12.2016 |

HED CYCLING PRODUCTS

| | | | | |
|---|-----------------------|-------------|-----------|---------------------|
| - | Ardennes Black | 24.5 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Ardennes GP | 24.5 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Ardennes LT | 24.5 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Ardennes SL | 24.5 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 4 Black Front | 48 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 4 Plus | 48 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 5 Black | 54 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 5 Plus | 54 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 5 Front – Tubular | 54 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 6 Plus – Clincher | 60 mm rim | 18 spokes | Approved 22.06.2018 |



| | | | | |
|---|-------------|-----------|-----------|---------------------|
| - | Jet 6 Black | 60 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 9 Plus | 90 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Jet 9 Black | 90 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Stinger 3 | 38 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Stinger 5 | 50 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Stinger 6 | 60 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Stinger 9 | 90 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Vanquish 4 | 40 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Vanquish 6 | 60 mm rim | 18 spokes | Approved 22.06.2018 |
| - | Vanquish 8 | 80 mm rim | 18 spokes | Approved 22.06.2018 |

HUBSMITH

| | | | | |
|---|---------------|-----------|-----------|---------------------|
| - | HS-TITAN CC38 | 38 mm rim | 20 spokes | Approved 16.11.2016 |
|---|---------------|-----------|-----------|---------------------|

HUNT

| | | | | |
|---|-------------------------------|-----------|-----------|---------------------|
| - | Race Aero Wide | 31 mm rim | 20 spokes | Approved 31.01.2017 |
| - | 50 Carbon Wide Aero | 50 mm rim | 20 spokes | Approved 31.01.2017 |
| - | 5580 Carbon Wide Aero Tubular | 55 mm rim | 20 spokes | Approved 13.03.2017 |
| - | 45 Carbon Wide Aero Tubular | 45 mm rim | 20 spokes | Approved 13.03.2017 |

ICAN

| | | | | |
|---|-----|-----------|-----------|---------------------|
| - | 40C | 40 mm rim | 20 spokes | Approved 06.04.2018 |
|---|-----|-----------|-----------|---------------------|

INFINITO CYCLING

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | R8C | 80 mm rim | 20 spokes | Approved 20.12.2016 |
| - | R6T | 60 mm rim | 20 spokes | Approved 20.12.2016 |
| - | R6C | 60 mm rim | 20 spokes | Approved 20.12.2016 |
| - | R5AC | 50 mm rim | 20 spokes | Approved 20.12.2016 |
| - | R4T | 38 mm rim | 20 spokes | Approved 20.12.2016 |
| - | R4C | 38 mm rim | 20 spokes | Approved 20.12.2016 |
| - | D5T | 50 mm rim | 28 spokes | Approved 20.12.2016 |

IRWIN

| | | | | |
|---|------------|-----------|-----------|---------------------|
| - | AON T 55 | 55 mm rim | 20 spokes | Approved 16.11.2016 |
| - | AON TLR 85 | 85 mm rim | 16 spokes | Approved 14.12.2016 |
| - | AON TLR 58 | 58 mm rim | 20 spokes | Approved 14.12.2016 |
| - | AON TLR 38 | 38 mm rim | 20 spokes | Approved 14.12.2016 |
| - | AON T 38 | 38 mm rim | 20 spokes | Approved 07.02.2017 |
| - | AON T 80 | 80 mm rim | 16 spokes | Approved 15.03.2017 |

JAGU

| | | | | |
|---|-----------------------------|-----------|-----------|---------------------|
| - | Elite 30 Aero | 30 mm rim | 20 spokes | Approved 22.06.2016 |
| - | Elite 45 Aero | 45 mm rim | 20 spokes | Approved 22.06.2016 |
| - | Elite 55 Aero | 55 mm rim | 20 spokes | Approved 22.06.2016 |
| - | Elite 80 Aero | 80 mm rim | 20 spokes | Approved 22.06.2016 |
| - | Elite 36 Aero | 36 mm rim | 20 spokes | Approved 31.08.2016 |
| - | Elite 50 Aero | 50 mm rim | 20 spokes | Approved 31.08.2016 |
| - | Elite 36 Aero Clincher | 36 mm rim | 20 spokes | Approved 16.11.2016 |
| - | Elite 45 Aero Clincher | 45 mm rim | 20 spokes | Approved 16.11.2016 |
| - | Elite 50 Aero Clincher | 50 mm rim | 20 spokes | Approved 16.11.2016 |
| - | Elite 55 Aero Clincher | 55 mm rim | 20 spokes | Approved 16.11.2016 |
| - | Elite 30 Aero Clincher | 30 mm rim | 20 spokes | Approved 17.11.2016 |
| - | Elite 45 Aero Clincher disc | 45 mm rim | 24 spokes | Approved 17.11.2016 |
| - | Elite 55 Aero Clincher disc | 55 mm rim | 24 spokes | Approved 17.11.2016 |
| - | Elite 55 Aero disc | 55 mm rim | 24 spokes | Approved 17.11.2016 |

KAVITEC

| | | | | |
|---|--------------|-----------|-----------|---------------------|
| - | KAVITEC 4.0C | 38 mm rim | 20 spokes | Approved 08.03.2017 |
| - | KAVITEC 4.0T | 38 mm rim | 20 spokes | Approved 08.03.2017 |
| - | KAVITEC 5.5T | 55 mm rim | 20 spokes | Approved 08.03.2017 |
| - | KAVITEC 5.6T | 50 mm rim | 20 spokes | Approved 08.03.2017 |

KAVULUNGAN

| | | | | |
|---|--------|-------------|-----------|---------------------|
| - | Vulung | 38.8 mm rim | 18 spokes | Approved 08.06.2018 |
|---|--------|-------------|-----------|---------------------|

KNIGHT

| | | | | |
|---|-----------|-----------|-----------|---------------------|
| - | KNIGHT 35 | 35 mm rim | 20 spokes | Approved 14.12.2016 |
| - | KNIGHT 65 | 65 mm rim | 20 spokes | Approved 14.12.2016 |
| - | KNIGHT 95 | 95 mm rim | 16 spokes | Approved 14.12.2016 |

KRU

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | C-38 | 38 mm rim | 20 spokes | Approved 21.11.2016 |
| - | C-55 | 55 mm rim | 20 spokes | Approved 21.11.2016 |
| - | C-88 | 88 mm rim | 20 spokes | Approved 21.11.2016 |
| - | T-38 | 38 mm rim | 20 spokes | Approved 21.11.2016 |
| - | T-55 | 55 mm rim | 20 spokes | Approved 21.11.2016 |
| - | T-88 | 88 mm rim | 20 spokes | Approved 21.11.2016 |

LAMBDA RACING

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | CC-55X26 | 55 mm rim | 20 spokes | Approved 09.03.2018 |
| - | CC-80x26 | 80 mm rim | 20 spokes | Approved 09.03.2018 |

LEEZE

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | CC38 | 38 mm rim | 18 spokes | Approved 10.08.2016 |
| - | CT38 | 38 mm rim | 18 spokes | Approved 10.08.2016 |
| - | CC60 | 60 mm rim | 18 spokes | Approved 10.08.2016 |
| - | CT60 | 60 mm rim | 18 spokes | Approved 10.08.2016 |
| - | CC88 | 88 mm rim | 16 spokes | Approved 10.08.2016 |
| - | CT88 | 88 mm rim | 16 spokes | Approved 10.08.2016 |

LIGHT BICYCLE

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | WRU45CO2 | 45 mm rim | 20 spokes | Approved 21.11.2016 |
|---|----------|-----------|-----------|---------------------|

LIGHTWEIGHT

| | | | | |
|---|---------------------------|-------------|-----------|---------------------|
| - | Meilenstein Pro | 47.5 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Meilenstein | 47.5 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Meilenstein Clincher | 47.5 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Meilenstein Tubular Disc | 47.5 mm rim | 20 spokes | Approved 28.11.2016 |
| - | Meilenstein Clincher Disc | 47.5 mm rim | 20 spokes | Approved 28.11.2016 |

MAVIC

| | | | | |
|---|-----------------------------|-----------|-----------|---------------------|
| - | COSMIC CARBONE 40 ELITE C | 40 mm rim | 16 spokes | Approved 06.07.2016 |
| - | COSMIC CARBONE 40 T | 40 mm rim | 16 spokes | Approved 06.07.2016 |
| - | COSMIC ELITE | 30 mm rim | 20 spokes | Approved 06.07.2016 |
| - | COSMIC ELITE S | 30 mm rim | 20 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARB DISC C | 45 mm rim | 24 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARB EXA C | 45 mm rim | 16 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARB UB C | 45 mm rim | 16 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARB SL C | 40 mm rim | 18 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARB SL DISC C | 40 mm rim | 24 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARBON SL T | 40 mm rim | 16 spokes | Approved 06.07.2016 |
| - | COSMIC PRO CARBON SL T DISC | 40 mm rim | 24 spokes | Approved 06.07.2016 |
| - | COSMIC ULTIMATE Gamme 15 | 40 mm rim | 20 spokes | Approved 06.07.2016 |
| - | COSMIC ULTIMATE Gamme 17 | 40 mm rim | 20 spokes | Approved 06.07.2016 |
| - | CXR 60 ELITE | 60 mm rim | 18 spokes | Approved 06.07.2016 |
| - | CXR 60 ELITE DISC | 60 mm rim | 24 spokes | Approved 06.07.2016 |
| - | CXR 60 ELITE EXALITH | 60 mm rim | 18 spokes | Approved 06.07.2016 |
| - | CXR 80 T SANS PROFILS | 80 mm rim | 16 spokes | Approved 06.07.2016 |
| - | CXR ULTIMATE 80 T | 80 mm rim | 16 spokes | Approved 06.07.2016 |

SANS PROFILS

| | | | | |
|---|-----------------------|-----------|-----------|---------------------|
| - | CXR 60 SANS PROFILS C | 60 mm rim | 16 spokes | Approved 06.07.2016 |
| - | CXR 60 SANS PROFILS T | 60 mm rim | 16 spokes | Approved 06.07.2016 |
| - | CXR ULTIMATE 60 T | 60 mm rim | 16 spokes | Approved 06.07.2016 |
| - | CXR ULTIMATE 60 C | 60 mm rim | 16 spokes | Approved 06.07.2016 |
| - | KSYRIUM | 25 mm rim | 20 spokes | Approved 06.07.2016 |



| | | | | |
|---|--------------------------------|-----------|-----------|---------------------|
| - | KSYRIUM 17C | 21 mm rim | 20 spokes | Approved 06.07.2016 |
| - | KSYRIUM DISC | 21 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM DISC 17C | 21 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM ELITE | 22 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM ELITE ALLROAD | 26 mm rim | 24 spokes | Approved 06.07.2016 |
| | DISC 19C | | | |
| - | KSYRIUM ELITE DISC 17C | 26 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM ELITE S | 22 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO 17C LTD | 24 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO CARBON SL C | 25 mm rim | 24 spokes | Approved 06.07.2016 |
| | DISC (& HR) | | | |
| - | KSYRIUM PRO CARBON SL C (& HR) | 25 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO CARBON SL T (& HR) | 25 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO CARBON SL T DISC | 25 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO | 24 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO DISC | 26 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO DISC 17C | 26 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO DISC ALLROAD | 26 mm rim | 24 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO EXALITH (& HR) | 24 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO EXALITH SL 15C LTD | 24 mm rim | 18 spokes | Approved 06.07.2016 |
| - | KSYRIUM PRO SL | 24 mm rim | 18 spokes | Approved 06.07.2016 |
| - | R-SYS SLR C | 22 mm rim | 16 spokes | Approved 06.07.2016 |
| - | R-SYS SLR T | 22 mm rim | 16 spokes | Approved 06.07.2016 |
| - | R-SYS SLR 15C LTD | 22 mm rim | 16 spokes | Approved 06.07.2016 |
| - | KSYRIUM SLS T | 22 mm rim | 18 spokes | Approved 06.07.2016 |

MERIDA

| | | | | |
|---|----------------|-------------|-----------|---------------------|
| - | Expert SL | 24 mm rim | 24 spokes | Approved 03.01.2017 |
| - | Expert SL disc | 22 mm rim | 28 spokes | Approved 03.01.2017 |
| - | Expert CW | 30 mm rim | 24 spokes | Approved 03.01.2017 |
| - | Expert CC | 18.3 mm rim | 32 spokes | Approved 03.01.2017 |

MEMIL

| | | | | |
|---|--------|-----------|-----------|---------------------|
| - | ZEN 50 | 50 mm rim | 20 spokes | Approved 13.03.2017 |
| - | ZEN 38 | 38 mm rim | 20 spokes | Approved 13.03.2017 |

MICHE

| | | | | |
|---|-----------------------|-----------|-----------|---------------------|
| - | SWR FULL CARBON RC DX | 36 mm rim | 24 spokes | Approved 10.01.2017 |
| - | ACTION 30 | 30 mm rim | 20 spokes | Approved 10.01.2017 |
| - | CROSS AXY | 25 mm rim | 18 spokes | Approved 10.01.2017 |
| - | CROSS TUBE | 25 mm rim | 24 spokes | Approved 10.01.2017 |
| - | RACE WP DX | 30 mm rim | 24 spokes | Approved 10.01.2017 |
| - | RACE WP | 26 mm rim | 18 spokes | Approved 10.01.2017 |
| - | REFLEX | 25 mm rim | 20 spokes | Approved 10.01.2017 |
| - | REVOX RC DX | 38 mm rim | 24 spokes | Approved 10.01.2017 |
| - | REVOX RC | 38 mm rim | 18 spokes | Approved 10.01.2017 |
| - | SUPERTYPE 338 | 38 mm rim | 18 spokes | Approved 10.01.2017 |
| - | SUPERTYPE 350 | 38 mm rim | 18 spokes | Approved 10.01.2017 |
| - | SUPERTYPE 550 | 50 mm rim | 18 spokes | Approved 10.01.2017 |
| - | SWR RC 36 | 36 mm rim | 18 spokes | Approved 10.01.2017 |
| - | SWR RC 36/50 | 36 mm rim | 18 spokes | Approved 10.01.2017 |
| - | SWR RC 50 | 50 mm rim | 18 spokes | Approved 10.01.2017 |
| - | CROSS TUBE DX | 24 mm rim | 28 spokes | Approved 08.12.2017 |
| - | GRAFF | 22 mm rim | 24 spokes | Approved 08.12.2017 |
| - | SYNTIUM AXY | 25 mm rim | 18 spokes | Approved 08.12.2017 |
| - | SYNTIUM DX | 24 mm rim | 24 spokes | Approved 08.12.2017 |

NO LIMITED IWONA DEMKOWICZ

| | | | | |
|---|-------------|-----------|-----------|---------------------|
| - | Race CFC 50 | 50 mm rim | 20 spokes | Approved 27.09.2016 |
|---|-------------|-----------|-----------|---------------------|



| | | | |
|-----------|-----------|-----------|---------------------|
| - Race 60 | 60 mm rim | 16 spokes | Approved 27.09.2016 |
| - Race 88 | 88 mm rim | 16 spokes | Approved 27.09.2016 |

NOVATEC

| | | | |
|-----------|-----------|-----------|---------------------|
| - R3 | 38 mm rim | 20 spokes | Approved 22.06.2016 |
| - R9 | 90 mm rim | 16 spokes | Approved 22.06.2016 |
| - R3-21mm | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - IMPULSE | 32 mm rim | 20 spokes | Approved 30.08.2016 |
| - JETFLY | 32 mm rim | 20 spokes | Approved 30.08.2016 |
| - R5 | 50 mm rim | 20 spokes | Approved 14.11.2016 |

ODIN

| | | | |
|------------|-----------|-----------|---------------------|
| - ORC-1550 | 50 mm rim | 20 spokes | Approved 19.01.2018 |
| - ORT-1350 | 38 mm rim | 20 spokes | Approved 19.01.2018 |

OHRCYCLING

| | | | |
|------------|-----------|-----------|---------------------|
| - R3C | 30 mm rim | 20 spokes | Approved 22.11.2016 |
| - R4C | 38 mm rim | 20 spokes | Approved 22.11.2016 |
| - R4T | 38 mm rim | 20 spokes | Approved 22.11.2016 |
| - R5C | 50 mm rim | 20 spokes | Approved 22.11.2016 |
| - R5T | 50 mm rim | 20 spokes | Approved 22.11.2016 |
| - R8C | 88 mm rim | 20 spokes | Approved 22.11.2016 |
| - R8T | 88 mm rim | 20 spokes | Approved 22.11.2016 |
| - D3C | 30 mm rim | 24 spokes | Approved 22.11.2016 |
| - D4C | 38 mm rim | 24 spokes | Approved 22.11.2016 |
| - D4T | 38 mm rim | 24 spokes | Approved 22.11.2016 |
| - D5C | 50 mm rim | 24 spokes | Approved 22.11.2016 |
| - D5T | 50 mm rim | 24 spokes | Approved 22.11.2016 |
| - D8C | 88 mm rim | 24 spokes | Approved 22.11.2016 |
| - D8T | 88 mm rim | 24 spokes | Approved 22.11.2016 |
| - S3C | 30 mm rim | 24 spokes | Approved 22.11.2016 |
| - S4C | 38 mm rim | 24 spokes | Approved 22.11.2016 |
| - S4T | 38 mm rim | 24 spokes | Approved 22.11.2016 |
| - S5C | 50 mm rim | 24 spokes | Approved 22.11.2016 |
| - S5T | 50 mm rim | 24 spokes | Approved 22.11.2016 |
| - S8C | 88 mm rim | 24 spokes | Approved 22.11.2016 |
| - S8T | 88 mm rim | 24 spokes | Approved 22.11.2016 |
| - X2C 27.5 | 23 mm rim | 24 spokes | Approved 22.11.2016 |
| - X2C 29.0 | 23 mm rim | 24 spokes | Approved 22.11.2016 |
| - X3C 27.5 | 32 mm rim | 24 spokes | Approved 22.11.2016 |

ORBIT DESIGN

| | | | |
|--------------|-----------|-----------|---------------------|
| - Meson-CH | 55 mm rim | 18 spokes | Approved 14.11.2016 |
| - Hyperon-CH | 35 mm rim | 18 spokes | Approved 14.11.2016 |
| - Hyperon-TU | 35 mm rim | 18 spokes | Approved 14.11.2016 |
| - ION | 38 mm rim | 24 spokes | Approved 22.06.2018 |

ORR CARBON WHEEL SYSTEMS

| | | | |
|------------|-----------|-----------|---------------------|
| - Gen3 3.4 | 36 mm rim | 20 spokes | Approved 27.09.2016 |
| - Gen3 6.4 | 60 mm rim | 20 spokes | Approved 27.09.2016 |
| - Gen3 8.4 | 80 mm rim | 20 spokes | Approved 27.09.2016 |

PARCOURS

| | | | |
|------------|-----------|-----------|---------------------|
| - Grimpeur | 38 mm rim | 20 spokes | Approved 30.08.2016 |
| - Passista | 56 mm rim | 20 spokes | Approved 30.08.2016 |
| - Chrono | 86 mm rim | 20 spokes | Approved 30.08.2018 |

PACENTI

| | | | |
|-------------------------|-----------|-----------|---------------------|
| - Forza 650b Disc Brake | 22 mm rim | 28 spokes | Approved 23.03.2018 |
| - Forza 700C Rim Brake | 25 mm rim | 24 spokes | Approved 23.03.2018 |
| - Forza 700C Disk Brake | 25 mm rim | 28 spokes | Approved 23.03.2018 |
| - Carbon C45 | 45 mm rim | 24 spokes | Approved 13.04.2018 |

PRINCETON CARBON WORKS

| | | | | |
|---|-----------|-----------|-----------|---------------------|
| - | Wake 6560 | 60 mm rim | 16 spokes | Approved 16.02.2018 |
|---|-----------|-----------|-----------|---------------------|

PROGRESS

| | | | | |
|---|--------|-----------|-----------|---------------------|
| - | A500 | 50 mm rim | 18 spokes | Approved 08.12.2016 |
| - | APRIME | 50 mm rim | 18 spokes | Approved 08.12.2016 |

PRO-LITE

| | | | | |
|---|---------------|-----------|-----------|---------------------|
| - | Bortola C28W | 28 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Bracciano A27 | 27 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Bracciano A42 | 42 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Bracciano C45 | 45 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Cicilia C28W | 28 mm rim | 20 spokes | Approved 10.08.2016 |

PRO-LITE

| | | | | |
|---|------------------------|-----------|-----------|---------------------|
| - | Prototype Racing Parts | 38 mm rim | 20 spokes | Approved 24.11.2017 |
|---|------------------------|-----------|-----------|---------------------|

PROTOTYPE

| | | | | |
|---|--------------|-----------|-----------|---------------------|
| - | PRO TOUR 5SL | 50 mm rim | 20 spokes | Approved 16.02.2018 |
| - | PRO TOUR 3SL | 38 mm rim | 20 spokes | Approved 24.11.2017 |

QUAI

| | | | | |
|---|---------------|----------|-----------|---------------------|
| - | R35 | 35mm rim | 20 spokes | Approved 09.06.2017 |
| - | R50 | 50mm rim | 20 spokes | Approved 09.06.2017 |
| - | ISOS 700C PRO | 41mm rim | 28 spokes | Approved 09.06.2017 |

RACE ON

| | | | | |
|---|---------------|-----------|-----------|---------------------|
| - | Carbon C30 | 30 mm rim | 20 spokes | Approved 19.01.2018 |
| - | Carbon C38 | 38 mm rim | 20 spokes | Approved 19.01.2018 |
| - | Carbon C50 | 50 mm rim | 20 spokes | Approved 19.01.2018 |
| - | WorldTour R30 | 30 mm rim | 20 spokes | Approved 19.01.2018 |
| - | WorldTour R38 | 38 mm rim | 20 spokes | Approved 19.01.2018 |
| - | WorldTour R50 | 50 mm rim | 20 spokes | Approved 19.01.2018 |

RAR

| | | | | |
|---|----------------|-----------|-----------|---------------------|
| - | RAR Even 38mm | 38 mm rim | 20 spokes | Approved 19.01.2018 |
| - | RAR Even 50mm | 50 mm rim | 20 spokes | Approved 19.01.2018 |
| - | RAR Exalt 40mm | 40 mm rim | 20 spokes | Approved 19.01.2018 |

REBEL

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | Rebel 50 | 50 mm rim | 20 spokes | Approved 28.09.2016 |
| - | Rebel 90 | 88 mm rim | 20 spokes | Approved 28.09.2016 |
| - | Rebel 50 | 45 mm rim | 20 spokes | Approved 11.05.2018 |
| - | Rebel 80 | 80 mm rim | 20 spokes | Approved 11.05.2018 |

REMERX

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | Rapid | 28 mm rim | 20 spokes | Approved 22.03.2016 |
| - | SAW 50 | 50 mm rim | 20 spokes | Approved 22.03.2016 |
| - | SAW 38 | 38 mm rim | 20 spokes | Approved 22.03.2016 |
| - | ROAD ONE | 24 mm rim | 24 spokes | Approved 22.03.2016 |

REVOLVER

| | | | | |
|---|-------------------|-----------|-----------|---------------------|
| - | Kronostok 4 | 38 mm rim | 20 spokes | Approved 27.09.2016 |
| - | Kronostok 5 | 50 mm rim | 20 spokes | Approved 27.09.2016 |
| - | Kronostok 6 | 60 mm rim | 20 spokes | Approved 27.09.2016 |
| - | Kronostok FWS 3.5 | 35 mm rim | 20 spokes | Approved 20.12.2016 |
| - | Kronostok FWS 4.5 | 45 mm rim | 20 spokes | Approved 20.12.2016 |
| - | Kronostok FWS 5.5 | 55 mm rim | 20 spokes | Approved 20.12.2016 |
| - | Kronostok FWS 7 | 69 mm rim | 20 spokes | Approved 20.12.2016 |
| - | Kronostok FWS 8 | 79 mm rim | 20 spokes | Approved 15.09.2017 |
| - | Kronostok 9 | 88 mm rim | 20 spokes | Approved 15.09.2017 |

REYNOLDS CYCLING



| | | | | |
|---|-----------------|-------------|-----------|---------------------|
| - | STRIKE | 60.5 mm rim | 16 spokes | Approved 15.09.2017 |
| - | Aero 65 | 65 mm rim | 18 spokes | Approved 08.01.2018 |
| - | Aero 80 | 80 mm rim | 18 spokes | Approved 08.01.2018 |
| - | Assault | 41 mm rim | 18 spokes | Approved 08.01.2018 |
| - | ATR DB | 28 mm rim | 24 spokes | Approved 08.01.2018 |
| - | 2017 Assault | 41 mm rim | 20 spokes | Approved 08.01.2018 |
| - | 2017 Attack | 29 mm rim | 20 spokes | Approved 08.01.2018 |
| - | 2017 Strike | 60.5 mm rim | 20 spokes | Approved 08.01.2018 |
| - | Aero 46 DB | 46 mm rim | 20 spokes | Approved 13.04.2018 |
| - | Aero 65 DB | 65 mm rim | 20 spokes | Approved 13.04.2018 |
| - | Assault DB | 41 mm rim | 24 spokes | Approved 13.04.2018 |
| - | Assault LE | 41 mm rim | 24 spokes | Approved 13.04.2018 |
| - | Assault LE 650b | 41 mm rim | 24 spokes | Approved 13.04.2018 |
| - | Attack DB | 29 mm rim | 24 spokes | Approved 13.04.2018 |
| - | Strike DB | 62 mm rim | 24 spokes | Approved 13.04.2018 |

RITCHEY

| | | | | |
|---|-----------------|-----------|-----------|---------------------|
| - | WCS APEX38 | 38 mm rim | 20 spokes | Approved 16.11.2016 |
| - | WCS APEX38 Disc | 38 mm rim | 24 spokes | Approved 16.11.2016 |
| - | WCS APEX50 | 50 mm rim | 20 spokes | Approved 16.11.2016 |

ROLF PRIMA

| | | | | |
|---|-------------|-----------|-----------|---------------------|
| - | Ares6 | 60 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Ares6 ES | 60 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Ares4 | 42 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Ares4 ES | 42 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Ares3 | 35 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Ares3 ES | 35 mm rim | 16 spokes | Approved 22.03.2016 |
| - | 58RSC | 58 mm rim | 16 spokes | Approved 22.03.2016 |
| - | Eos3 | 32 mm rim | 14 spokes | Approved 13.04.2016 |
| - | TdF6 | 60 mm rim | 16 spokes | Approved 13.04.2016 |
| - | Vigor ES | 32 mm rim | 24 spokes | Approved 13.04.2016 |
| - | Vigor RS | 32 mm rim | 16 spokes | Approved 12.05.2016 |
| - | TdF4 SL | 42 mm rim | 16 spokes | Approved 12.05.2016 |
| - | Vigor Alpha | 31 mm rim | 14 spokes | Approved 15.11.2016 |
| - | Vigor | 31 mm rim | 14 spokes | Approved 15.11.2016 |
| - | Echelon | 31 mm rim | 16 spokes | Approved 15.11.2016 |

ROLLING STONE

| | | | | |
|---|---------|-----------|-----------|---------------------|
| - | AERO 40 | 40 mm rim | 18 spokes | Approved 21.07.2017 |
|---|---------|-----------|-----------|---------------------|

RONIN CYCLING

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | 5 series | 50 mm rim | 20 spokes | Approved 23.03.2018 |
|---|----------|-----------|-----------|---------------------|

ROTHAR

| | | | | |
|---|------------|-----------|-----------|---------------------|
| - | RV38-C23 | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV38-T23 | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV50-C23 | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV50-T23 | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV60-C23 | 60 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV60-T23 | 60 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV88-C23 | 88 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RV88-T23 | 88 mm rim | 20 spokes | Approved 10.08.2016 |
| - | RVA38-C23 | 38 mm rim | 20 spokes | Approved 20.12.2016 |
| - | RVA50-C23 | 50 mm rim | 20 spokes | Approved 20.12.2016 |
| - | RVA60-C23 | 60 mm rim | 20 spokes | Approved 20.12.2016 |
| - | RVA90-C23 | 90 mm rim | 20 spokes | Approved 20.12.2016 |
| - | RV38FD-T25 | 38 mm rim | 24 spokes | Approved 20.12.2016 |
| - | RV38FD-C25 | 38 mm rim | 24 spokes | Approved 20.12.2016 |
| - | RV45FD-T25 | 45 mm rim | 24 spokes | Approved 20.12.2016 |
| - | RV45FD-C25 | 45 mm rim | 24 spokes | Approved 20.12.2016 |

ROVAL

| | | | | |
|---|--------------|-----------|-----------|---------------------|
| - | Roval CLX 32 | 32 mm rim | 16 spokes | Approved 31.05.2016 |
|---|--------------|-----------|-----------|---------------------|



| | | | | |
|---|----------------------|-----------|-----------|---------------------|
| - | Roval CLX 32 Disc | 32 mm rim | 21 spokes | Approved 31.05.2016 |
| - | Roval CLX 40 | 40 mm rim | 18 spokes | Approved 31.05.2016 |
| - | Roval CLX 40 Tu | 40 mm rim | 18 spokes | Approved 31.05.2016 |
| - | Roval CLX 60 | 60 mm rim | 16 spokes | Approved 31.05.2016 |
| - | Roval CLX 60 Tu | 60 mm rim | 16 spokes | Approved 31.05.2016 |
| - | Roval CLX 64 | 64 mm rim | 16 spokes | Approved 31.05.2016 |
| - | Roval CLX 64 Tu | 64 mm rim | 16 spokes | Approved 31.05.2016 |
| - | Roval CLX 64 Disc | 64 mm rim | 21 spokes | Approved 31.05.2016 |
| - | Roval CLX 64 Disc Tu | 64 mm rim | 21 spokes | Approved 31.05.2016 |
| - | Roval CLX 32 Tu | 32 mm rim | 16 spokes | Approved 15.11.2016 |
| - | Roval CLX 32 Disc Tu | 32 mm rim | 21 spokes | Approved 15.11.2016 |
| - | Roval CLX 50 | 50 mm rim | 16 spokes | Approved 15.11.2016 |
| - | Roval CLX 50 Tu | 50 mm rim | 16 spokes | Approved 15.11.2016 |
| - | Roval CLX 50 Disc | 50 mm rim | 21 spokes | Approved 15.11.2016 |
| - | Roval CLX 50 Disc Tu | 50 mm rim | 21 spokes | Approved 15.11.2016 |
| - | Roval CL 32 | 32 mm rim | 16 spokes | Approved 25.01.2017 |
| - | Roval CL 32 Disc | 32 mm rim | 21 spokes | Approved 25.01.2017 |
| - | Roval CL 40 | 40 mm rim | 18 spokes | Approved 25.01.2017 |
| - | Roval CL 40 Disc | 40 mm rim | 24 spokes | Approved 25.01.2017 |
| - | Roval CL 60 | 60 mm rim | 21 spokes | Approved 25.01.2017 |
| - | Roval CL 64 | 64 mm rim | 16 spokes | Approved 25.01.2017 |
| - | Roval CL 64 Disc | 64 mm rim | 21 spokes | Approved 25.01.2017 |

RUBAR

| | | | | |
|---|----------------|-----------|-----------|---------------------|
| - | Rubar Asura 50 | 50 mm rim | 20 spokes | Approved 15.09.2017 |
|---|----------------|-----------|-----------|---------------------|

SACRA

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | 4G-50-TU | 50 mm rim | 20 spokes | Approved 09.08.2017 |
|---|----------|-----------|-----------|---------------------|

SCOPE

| | | | | |
|---|-----|-----------|-----------|---------------------|
| - | R3C | 30 mm rim | 18 spokes | Approved 11.04.2017 |
| - | R4C | 45 mm rim | 18 spokes | Approved 11.04.2017 |
| - | R5C | 55 mm rim | 18 spokes | Approved 11.04.2017 |

SHIMANO

| | | | | |
|---|---------------------|-------------|-----------|---------------------|
| - | WH-R9100-C24-CL-F | 21 mm rim | 16 spokes | Approved 06.07.2016 |
| - | WH-R9100-C40-TU-F | 36.6 mm rim | 16 spokes | Approved 06.07.2016 |
| - | WH-R9100-C60-TU-F | 61.6 mm rim | 16 spokes | Approved 15.11.2016 |
| - | WH-R9100-C60-CL-F | 50 mm rim | 16 spokes | Approved 15.11.2016 |
| - | WH-R9100-C40-CL-F | 34.7 mm rim | 16 spokes | Approved 29.11.2016 |
| - | WH-R9170-C40-TU-F12 | 36.6 mm rim | 24 spokes | Approved 31.03.2017 |
| - | WH-R9170-C60-TU-F12 | 61.6 mm rim | 24 spokes | Approved 31.03.2017 |
| - | WH-RS500-TL-F | 23 mm rim | 16 spokes | Approved 14.07.2017 |
| - | WH-R9170-C40-TL-F12 | 36 mm rim | 24 spokes | Approved 15.09.2017 |
| - | WH-RS770-C30-TL-F12 | 28 mm rim | 24 spokes | Approved 10.11.2017 |
| - | WH-RS700-C30-TL-F | 24 mm rim | 16 spokes | Approved 19.01.2018 |
| - | WH-RS300-CL-F | 24 mm rim | 16 spokes | Approved 09.03.2018 |

SICASSO

| | | | | |
|---|------|-----------|-----------|---------------------|
| - | S30C | 30 mm rim | 20 spokes | Approved 10.08.2016 |
| - | S45C | 45 mm rim | 20 spokes | Approved 10.08.2016 |
| - | S55C | 55 mm rim | 20 spokes | Approved 10.08.2016 |
| - | S80C | 80 mm rim | 20 spokes | Approved 10.08.2016 |

SPEEDSIX

| | | | | |
|---|----------------------------|-----------|-----------|---------------------|
| - | EVO 35 Tubular | 35 mm rim | 20 spokes | Approved 01.06.2018 |
| - | EVO 45 Tubular | 45 mm rim | 20 spokes | Approved 01.06.2018 |
| - | EVO 55 Tubular | 55 mm rim | 20 spokes | Approved 01.06.2018 |
| - | EVO 55 Clincher | 55 mm rim | 20 spokes | Approved 01.06.2018 |
| - | TRI-Efficiency 55 Tubular | 55 mm rim | 20 spokes | Approved 01.06.2018 |
| - | TRI-Efficiency 55 Clincher | 55 mm rim | 20 spokes | Approved 01.06.2018 |

SPEEDX

List of UCI approved wheels

| | | | | |
|---|-----------|-----------|-----------|---------------------|
| - | SPEEDX-50 | 50 mm rim | 18 spokes | Approved 10.01.2017 |
|---|-----------|-----------|-----------|---------------------|

SPHERIK

| | | | | |
|---|--------|-----------|-----------|---------------------|
| - | 4 S 5 | 40 mm rim | 20 spokes | Approved 15.11.2016 |
| - | 4 S 5D | 40 mm rim | 24 spokes | Approved 15.11.2016 |
| - | 5 S 6 | 45 mm rim | 20 spokes | Approved 15.11.2016 |
| - | 5 S 6D | 45 mm rim | 24 spokes | Approved 15.11.2016 |
| - | 6 S 8 | 65 mm rim | 20 spokes | Approved 15.11.2016 |

SRAM - ZIPP

| | | | | |
|---|-----------------------------|-----------|-----------|---------------------|
| - | 454 NSW Tubular | 53 mm rim | 18 spokes | Approved 26.04.2017 |
| - | 454 NSW Tubular Disc Brake | 58 mm rim | 18 spokes | Approved 09.06.2017 |
| - | 454 NSW Carbon Clincher | 53 mm rim | 18 spokes | Approved 09.06.2017 |
| - | 858 NSW Clincher Rim Brake | 82 mm rim | 18 spokes | Approved 31.07.2017 |
| - | 858 NSW Clincher Disc Brake | 82 mm rim | 24 spokes | Approved 17.11.2017 |
| - | 202 Clincher Rim Brake | 32 mm rim | 18 spokes | Approved 22.06.2018 |
| - | 202 Tubeless Disc Brake | 32 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 302 Clincher Disc Brake | 45 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 302 Clincher Rim Brake | 45 mm rim | 18 spokes | Approved 22.06.2018 |
| - | 303 Tubular Disc Brake | 45 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 303 Tubeless Disc Brake | 45 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 303 Tubeless Rim Brake | 45 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 404 Tubeless Disc Brake | 58 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 404 Tubeless Rim Brake | 55 mm rim | 18 spokes | Approved 22.06.2018 |
| - | 454 NSW Tubular Disc Brake | 53 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 808 Tubeless Rim Brake | 82 mm rim | 24 spokes | Approved 22.06.2018 |
| - | 808 Tubeless Disc Brake | 82 mm rim | 18 spokes | Approved 22.06.2018 |

STAN'S NOTUBES

| | | | | |
|---|---------|-------------|-----------|---------------------|
| - | AVION R | 40.8 mm rim | 18 spokes | Approved 20.12.2016 |
|---|---------|-------------|-----------|---------------------|

STEP

| | | | | |
|---|------|----------|-----------|---------------------|
| - | 38 C | 38mm rim | 24 spokes | Approved 29.09.2017 |
| - | 38 T | 38mm rim | 24 spokes | Approved 29.09.2017 |
| - | 50 C | 50mm rim | 24 spokes | Approved 29.09.2017 |
| - | 50 T | 50mm rim | 24 spokes | Approved 29.09.2017 |
| - | 60 T | 60mm rim | 24 spokes | Approved 29.09.2017 |
| - | 85 T | 85mm rim | 24 spokes | Approved 29.09.2017 |

STOX BY HAND

| | | | | |
|---|-----------|-----------|-----------|---------------------|
| - | STOX CC35 | 35mm rim | 20 spokes | Approved 23.03.2018 |
| - | STOX CC50 | 50 mm rim | 20 spokes | Approved 29.06.2018 |

SUPRA

| | | | | |
|---|-----------------|-----------|-----------|---------------------|
| - | RA Elite Lite | 30 mm rim | 20 spokes | Approved 24.11.2016 |
| - | RCA 55 Elite SL | 55 mm rim | 20 spokes | Approved 24.11.2016 |
| - | RFC 55 Elite SL | 55 mm rim | 20 spokes | Approved 24.11.2016 |

SWISS SIDE

| | | | | |
|---|----------------------|-------------|-----------|---------------------|
| - | HADRON 485 | 48.5 mm rim | 18 spokes | Approved 07.04.2016 |
| - | HADRON Ultimate 485 | 48.5 mm rim | 16 spokes | Approved 07.04.2016 |
| - | HADRON 625 | 62.5 mm rim | 18 spokes | Approved 07.04.2016 |
| - | HADRON Ultimate 625 | 62.5 mm rim | 16 spokes | Approved 07.04.2016 |
| - | HADRON 800+ | 80 mm rim | 18 spokes | Approved 07.04.2016 |
| - | HADRON Ultimate 800+ | 80 mm rim | 16 spokes | Approved 07.04.2016 |

TEC

| | | | | |
|---|-----------------|-----------|-----------|---------------------|
| - | INFINDO PRO T55 | 51 mm rim | 18 spokes | Approved 10.08.2016 |
|---|-----------------|-----------|-----------|---------------------|

TLR

| | | | | |
|---|---------------|-----------|-----------|---------------------|
| - | R.45 CLINCHER | 45 mm rim | 20 spokes | Approved 31.07.2017 |
| - | R.45 TUBULAR | 45 mm rim | 20 spokes | Approved 31.07.2017 |

TOKEN

| | | | | |
|---|--------------|-----------|-----------|---------------------|
| - | C38 | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - | C45 Resolute | 44 mm rim | 20 spokes | Approved 06.04.2018 |
| - | Konax Pro | 52 mm rim | 18 spokes | Approved 06.04.2018 |
| - | Konax Tri | 76 mm rim | 18 spokes | Approved 06.04.2018 |
| - | Ventous | 36 mm rim | 18 spokes | Approved 06.04.2018 |

TOKYOWHEEL

| | | | | |
|---|-----------|-----------|-----------|---------------------|
| - | Epic 3.4 | 33 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Epic 5.6 | 55 mm rim | 20 spokes | Approved 27.09.2016 |
| - | Epic 7.10 | 70 mm rim | 20 spokes | Approved 27.09.2016 |

TORZC

| | | | | |
|---|-----------------|-----------|-----------|---------------------|
| - | Racing Spec 2.2 | 25mm rim | 20 spokes | Approved 23.03.2018 |
| - | Racing Spec 3.2 | 32mm rim | 20 spokes | Approved 23.03.2018 |
| - | Racing Spec 4.2 | 45 mm rim | 20 spokes | Approved 23.03.2018 |
| - | Racing Spec 5.2 | 52 mm rim | 20 spokes | Approved 23.03.2018 |
| - | Racing Spec 7.2 | 70 mm rim | 20 spokes | Approved 23.03.2018 |

TUFO S.R.O.

| | | | | |
|---|------------|-----------|-----------|---------------------|
| - | Carbona 30 | 30 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Carbona 45 | 45 mm rim | 20 spokes | Approved 10.08.2016 |

TUNE GMBH

| | | | | |
|---|--------------------|-----------|-----------|---------------------|
| - | Schwarzbrenner 38C | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Schwarzbrenner 38T | 38 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Schwarzbrenner 60C | 60 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Schwarzbrenner 60T | 60 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Airways | 42 mm rim | 20 spokes | Approved 10.08.2016 |
| - | TSR27 | 27 mm rim | 24 spokes | Approved 10.08.2016 |

URSUS S.P.A.

| | | | | |
|---|------------|-----------|-----------|---------------------|
| - | MIURA T37 | 37 mm rim | 20 spokes | Approved 12.05.2016 |
| - | MIURA TS37 | 37 mm rim | 20 spokes | Approved 12.05.2016 |
| - | MIURA C37 | 37 mm rim | 20 spokes | Approved 10.08.2016 |
| - | MIURA C50 | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | MIURA TS87 | 87 mm rim | 20 spokes | Approved 10.08.2016 |

VELOSTRADA

| | | | | |
|---|-----------------|-----------|-----------|---------------------|
| - | Superleggera 7T | 80 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 7C | 79 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 6T | 70 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 6C | 69 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 5T | 55 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 5C | 55 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 4C | 45 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 4T | 45 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 3C | 35 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 3T | 35 mm rim | 20 spokes | Approved 14.12.2016 |
| - | Superleggera 2T | 25 mm rim | 20 spokes | Approved 14.12.2016 |

VELTEC

| | | | | |
|---|-----------|-----------|-----------|---------------------|
| - | Speed 4.5 | 45 mm rim | 20 spokes | Approved 17.11.2016 |
| - | Speed 6.0 | 55 mm rim | 20 spokes | Approved 17.11.2016 |
| - | Speed AL | 42 mm rim | 20 spokes | Approved 17.11.2016 |
| - | Speed AM | 37 mm rim | 20 spokes | Approved 17.11.2016 |

VISION

| | | | | |
|---|--------------------|-----------|-----------|---------------------|
| - | TriMax 35 | 35 mm rim | 16 spokes | Approved 10.08.2016 |
| - | TriMax T42 | 42 mm rim | 18 spokes | Approved 10.08.2016 |
| - | Metron 40 Clincher | 40 mm rim | 18 spokes | Approved 10.08.2016 |
| - | Metron 55 Clincher | 55 mm rim | 18 spokes | Approved 10.08.2016 |
| - | Metron 81 Clincher | 81 mm rim | 18 spokes | Approved 10.08.2016 |

| | | | | |
|---|-------------------------------|-----------|-----------|---------------------|
| - | Metron 30 SL Clincher | 30 mm rim | 16 spokes | Approved 06.04.2018 |
| - | Metron 30 SL Tubular | 30 mm rim | 16 spokes | Approved 06.04.2018 |
| - | Metron 40 SL Tubular DB | 40 mm rim | 21 spokes | Approved 06.04.2018 |
| - | Metron 40 SL Clincher TL DB | 40 mm rim | 21 spokes | Approved 06.04.2018 |
| - | Metron 55 SL Tubular DB | 55 mm rim | 21 spokes | Approved 06.04.2018 |
| - | Metron 55 SL Clincher TL DB | 55 mm rim | 21 spokes | Approved 06.04.2018 |
| - | Trimax 30 KB Clincher | 30 mm rim | 16 spokes | Approved 06.04.2018 |
| - | Trimax 35 KB Clincher | 35 mm rim | 16 spokes | Approved 06.04.2018 |
| - | Trimax Carbon 40 DB | 40 mm rim | 21 spokes | Approved 06.04.2018 |
| - | Trimax Carbon 45 CSI Clincher | 45 mm rim | 16 spokes | Approved 06.04.2018 |

VITTORIA

| | | | | |
|---|--------------|-------------|-----------|---------------------|
| - | Qurano 60C | 60 mm rim | 16 spokes | Approved 24.11.2016 |
| - | Qurano 30C | 28 mm rim | 16 spokes | Approved 24.11.2016 |
| - | Qurano 46C | 42 mm rim | 16 spokes | Approved 24.11.2016 |
| - | Fraxion | 45 mm rim | 16 spokes | Approved 24.11.2016 |
| - | Alusion | 32.5 mm rim | 16 spokes | Approved 24.11.2016 |
| - | Elusion | 26 mm rim | 16 spokes | Approved 24.11.2016 |
| - | Elusion Nero | 26 mm rim | 16 spokes | Approved 24.11.2016 |

WHEEL ANGEL

| | | | | |
|---|----------|-----------|-----------|---------------------|
| - | 23.2C | 24 mm rim | 20 spokes | Approved 10.08.2016 |
| - | SL 28.4C | 38 mm rim | 18 spokes | Approved 10.08.2016 |
| - | SL 28.5C | 50 mm rim | 18 spokes | Approved 10.08.2016 |
| - | SL 28.6C | 60 mm rim | 18 spokes | Approved 10.08.2016 |
| - | SL 28.8C | 88 mm rim | 16 spokes | Approved 10.08.2016 |

WHEELSCIENCE

| | | | | |
|---|------------------------------|-----------|-----------|---------------------|
| - | Elemental 38mm Clincher – RB | 38 mm rim | 20 spokes | Approved 18.05.2018 |
| - | Elemental 50mm Clincher – RB | 50 mm rim | 20 spokes | Approved 18.05.2018 |
| - | Elemental 60mm Clincher – RB | 60 mm rim | 20 spokes | Approved 18.05.2018 |
| - | Elemental 88mm Clincher – RB | 88 mm rim | 20 spokes | Approved 18.05.2018 |
| - | Elemental 38mm Clincher – DB | 38 mm rim | 24 spokes | Approved 18.05.2018 |
| - | Elemental 50mm Clincher – DB | 50 mm rim | 24 spokes | Approved 18.05.2018 |
| - | Elemental 60mm Clincher – DB | 60 mm rim | 24 spokes | Approved 18.05.2018 |
| - | Elemental 88mm Clincher – DB | 88 mm rim | 24 spokes | Approved 18.05.2018 |

WHEELWORKS

| | | | | |
|---|------------------|-----------|-----------|---------------------|
| - | Maker 35 | 35 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker 35 Tubular | 35 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker 35 SL | 35 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker 35 Disc | 35 mm rim | 24 spokes | Approved 10.08.2016 |
| - | Maker 50 | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker 50 Tubular | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker 50 SL | 50 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker 50 Disc | 50 mm rim | 24 spokes | Approved 10.08.2016 |
| - | Maker 80 | 80 mm rim | 20 spokes | Approved 10.08.2016 |
| - | Maker AR Disc | 29 mm rim | 24 spokes | Approved 10.08.2016 |

WIAWIS

| | | | | |
|---|----------------|-----------|-----------|---------------------|
| - | Pluma WRC 3823 | 38 mm rim | 20 spokes | Approved 31.03.2017 |
| - | Pluma WRT 5020 | 50 mm rim | 28 spokes | Approved 31.03.2017 |

XENTIS

| | | | | |
|---|---------------------------|-----------|-----------|---------------------|
| - | Squad 2.5 | 25 mm rim | 20 spokes | Approved 09.08.2017 |
| - | Squad 5.8 | 58 mm rim | 20 spokes | Approved 09.08.2017 |
| - | Squad 2.5 Race Tubular | 25 mm rim | 20 spokes | Approved 02.03.2018 |
| - | Squad 2.5 Race Clincher | 25 mm rim | 20 spokes | Approved 02.03.2018 |
| - | Squad 4.2 Race Tubular | 42 mm rim | 20 spokes | Approved 02.03.2018 |
| - | Squad 4.2 Race Clincher | 42 mm rim | 20 spokes | Approved 02.03.2018 |
| - | Squad 4.2 Race DB Tubular | 42 mm rim | 28 spokes | Approved 02.03.2018 |
| - | Squad 5.8 Race Tubular | 58 mm rim | 20 spokes | Approved 02.03.2018 |
| - | Squad 5.8 Race Clincher | 58 mm rim | 20 spokes | Approved 02.03.2018 |



- Squad 5.8 Race DB Tubular 58 mm rim 28 spokes Approved 02.03.2018

XERO

- MACH 5 Tubular 51 mm rim 20 spokes Approved 22.06.2016
- MACH 5 Clincher 51 mm rim 20 spokes Approved 30.08.2016

YAN AN

- Yan 50 50 mm rim 20 spokes Approved 05.01.2018

YOELEO

- SAT C38 Clincher 38 mm rim 20 spokes Approved 21.11.2016
- SAT C50 Clincher 50 mm rim 20 spokes Approved 21.11.2016
- SAT C60 Clincher 60 mm rim 20 spokes Approved 21.11.2016
- SAT C88 Clincher 88 mm rim 20 spokes Approved 21.11.2016
- SAT T38 Tubular 38 mm rim 20 spokes Approved 21.11.2016
- SAT T50 Tubular 50 mm rim 20 spokes Approved 21.11.2016
- SAT T60 Tubular 60 mm rim 20 spokes Approved 21.11.2016
- SAT T88 Tubular 88 mm rim 20 spokes Approved 21.11.2016
- SAT C38 DB Clincher 38 mm rim 28 spokes Approved 20.12.2016
- SAT C50 DB Clincher 50 mm rim 28 spokes Approved 20.12.2016
- SAT C60 DB Clincher 60 mm rim 28 spokes Approved 20.12.2016
- SAT C88 DB Clincher 88 mm rim 28 spokes Approved 20.12.2016
- SAT T38 DB Tubular 38 mm rim 28 spokes Approved 20.12.2016
- SAT T50 DB Tubular 50 mm rim 28 spokes Approved 20.12.2016
- SAT T60 DB Tubular 60 mm rim 28 spokes Approved 20.12.2016
- SAT T88 DB Tubular 88 mm rim 28 spokes Approved 20.12.2016
- SAT CA38 Carbon Alloy Clincher 38 mm rim 20 spokes Approved 20.12.2016
- SAT CA60 Carbon Alloy Clincher 60 mm rim 20 spokes Approved 20.12.2016
- SAT CA80 Carbon Alloy Clincher 80 mm rim 20 spokes Approved 20.12.2016

ZEAL

- Camerig44 44 mm rim 20 spokes Approved 19.01.2018
- Camerig44 Disc 44 mm rim 24 spokes Approved 19.01.2018

ZIRRUZ

- RC-50 50 mm rim 20 spokes Approved 29.06.2018
- RT-88 88 mm rim 20 spokes Approved 29.06.2018