

LIST OF UCI APPROVED WHEELS
- SINCE 01.01.2016 -
(NON-TRADITIONAL WHEELS IN CONFORMITY WITH ARTICLE 1.3.018)

Version on 15.02.2019

The new Approval Procedure for the wheels came into force on 1 January 2016 in accordance with Article 1.3.018 of the UCI Regulations.

From this date, all new models of wheels used by licence holders in road (mass start) and cyclo-cross events must be approved on the basis of the *Approval protocol for wheels* available on the UCI website.

For a reminder, the models produced from 2000 to 31.12.2015 had the obligation to be approved under the previous approval procedure (impact test at SIRRIS laboratory).

The wheels approved under the previous approval procedure until 31.12.2015 are still allowed in competition, and do not need to be reaproved under the new approval procedure.

The models which are subject to the new approval procedure are :

- All the new models of wheels used by licence holders in road (mass start) and cyclo-cross events
- The models not yet approved and used in competition, even if they were produced before the 1st January 2016
- The existing models with any changes made to the geometry or the characteristics

The wheels which meet the definition of traditional wheels do not need to be certified. A traditional wheel is defined with a rim height of less than 25mm, a rim in aluminium, a minimum number of 20 steel spokes which are detachable, and all components must be identifiable and commercially available.

At the end of the procedure, the manufacturer's name, the name of the wheel model approved, the technical characteristics of the wheel and the date of approval are added in this list, which will be updated each time a new model is approved.

Approved wheels must be clearly identified. If this is not the case, the wheel is not allowed in competition.

3T CYCLING

3T Discus T 45 Team	45 mm rim	24 spokes	Approved 23.01.2018
3T Discus T 60 Team	60 mm rim	24 spokes	Approved 23.01.2018

4ZA

-	CIRRUS PRO T30 350 DISC	30 mm rim	24 spokes	Approved 26.07.2016
-	CIRRUS PRO T45 350 DISC	45 mm rim	24 spokes	Approved 26.07.2016
-	CIRRUS PRO C30 DT240	30 mm rim	20 spokes	Approved 16.11.2016
-	CIRRUS PRO C30 DT350	30 mm rim	24 spokes	Approved 16.11.2016
-	CIRRUS PRO C45 DT240	45 mm rim	20 spokes	Approved 16.11.2016
-	CIRRUS PRO C45 DT350	45 mm rim	24 spokes	Approved 16.11.2016
-	CIRRUS PRO T30 DT240	30 mm rim	20 spokes	Approved 16.11.2016
-	CIRRUS PRO T30 DT350	30 mm rim	24 spokes	Approved 16.11.2016
-	CIRRUS PRO T45 DT240	45 mm rim	20 spokes	Approved 16.11.2016
-	CIRRUS PRO T45 DT350	45 mm rim	24 spokes	Approved 16.11.2016

ABLOC

-	CX38	38 mm rim	28 spokes	Approved 23.11.2018
-	C50	50 mm rim	20 spokes	Approved 23.11.2018

AERLITE

-	Elite 33	33 mm rim	20 spokes	Approved 21.11.2016
-	Elite 55	55 mm rim	20 spokes	Approved 21.11.2016
-	Elite 88	88 mm rim	20 spokes	Approved 21.11.2016
-	Team 50 tubular	50 mm rim	20 spokes	Approved 22.02.2017
-	Team 36 tubular	36 mm rim	20 spokes	Approved 22.02.2017
-	Elite Gen. 4 38-C	38 mm rim	20 spokes	Approved 17.05.2017
-	Elite Gen. 4 38-T	38 mm rim	20 spokes	Approved 17.05.2017
-	Elite Gen. 4 38-T Disc	38 mm rim	24 spokes	Approved 17.05.2017
-	Elite Gen. 4 60-C	60 mm rim	20 spokes	Approved 17.05.2017
-	Elite Gen. 4 60-T	60 mm rim	20 spokes	Approved 17.05.2017
-	Elite Gen. 4 60-T Disc	60 mm rim	24 spokes	Approved 17.05.2017

AIRSTREEM

-	ALC 50 Aeroshape	45 mm rim	20 spokes	Approved 22.12.2016
-	Carbon Aero 50 Clincher	48 mm rim	20 spokes	Approved 22.12.2016
-	Carbon Aero 85	80 mm rim	20 spokes	Approved 22.12.2016
-	Carbon Aero 50	48 mm rim	20 spokes	Approved 22.12.2016
-	Carbon Aero 50 SL	48 mm rim	20 spokes	Approved 22.12.2016

ALPINA

-	Alpina A6T Carbon Tubular	60 mm rim	24 spokes	Approved 10.08.2018
---	---------------------------	-----------	-----------	---------------------

ALTO CYCLING

-	A26	26 mm rim	20 spokes	Approved 14.12.2016
-	AX26	28 mm rim	24 spokes	Approved 14.12.2016
-	CC40	40 mm rim	20 spokes	Approved 14.12.2016
-	CT40	40 mm rim	20 spokes	Approved 14.12.2016
-	CCX40	40 mm rim	24 spokes	Approved 14.12.2016
-	CTX40	40 mm rim	24 spokes	Approved 14.12.2016
-	CC56	56 mm rim	20 spokes	Approved 14.12.2016
-	CT56	56 mm rim	20 spokes	Approved 14.12.2016
-	CCX56	56 mm rim	24 spokes	Approved 14.12.2016
-	CTX56	56 mm rim	24 spokes	Approved 14.12.2016
-	CC86	86 mm rim	20 spokes	Approved 14.12.2016
-	CT86	86 mm rim	20 spokes	Approved 14.12.2016

AMARROW

-	AmArrow FCC3.8	38 mm rim	20 spokes	Approved 15.11.2016
-	AmArrow FCC5.0	50 mm rim	20 spokes	Approved 15.11.2016

ASCENT

-	Hilly Tubular	44 mm rim	20 spokes	Approved 23.02.2018
---	---------------	-----------	-----------	---------------------



- Mount Tubular	38 mm rim	20 spokes	Approved 23.02.2018
- Nippy Tubular	50 mm rim	20 spokes	Approved 23.02.2018

ASCENT BIKES

- Zenith Elite	50 mm rim	20 spokes	Approved 15.02.2019
----------------	-----------	-----------	---------------------

ASTERION WHEELS

- Edition one 38 SL	38 mm rim	20 spokes	Approved 10.08.2016
- Edition one 50 SL	50 mm rim	20 spokes	Approved 10.08.2016

ATTAQUEBIKE

- ATTA-T451-RD	45 mm rim	20 spokes	Approved 19.01.2018
- T602	60 mm rim	20 spokes	Approved 20.04.2018

AURORA RACING

- A5	50 mm rim	20 spokes	Approved 03.11.2017
------	-----------	-----------	---------------------

AVIIAV

- AEROV50 V2	50 mm rim	20 spokes	Approved 20.02.2017
- AEROV35 V2 TUBULAR	35 mm rim	20 spokes	Approved 20.04.2017

AX-LIGHTNESS

- Selection 25 T	25 mm rim	20 spokes	Approved 09.03.2018
- Selection 28 C TLR	28 mm rim	20 spokes	Approved 09.03.2018
- Selection 38 T	38 mm rim	20 spokes	Approved 09.03.2018
- Selection 45 C TLR	45 mm rim	20 spokes	Approved 09.03.2018
- Ultra 25 T	25 mm rim	20 spokes	Approved 09.03.2018
- Ultra 28 C TLR	28 mm rim	20 spokes	Approved 09.03.2018
- Ultra 38 T	38 mm rim	20 spokes	Approved 09.03.2018
- Ultra 45 C TLR	45 mm rim	20 spokes	Approved 09.03.2018
- Ultra 55 T	55 mm rim	16 spokes	Approved 09.03.2018

BLADE WHEELS

- C60	60 mm rim	20 spokes	Approved 22.11.2016
- C45 Ultra	45 mm rim	20 spokes	Approved 22.11.2016
- C45 Ultra Disc	45 mm rim	24 spokes	Approved 22.11.2016
- C38	38 mm rim	20 spokes	Approved 22.11.2016

BLACK INC

- Fifty Disc Brake	50 mm rim	24 spokes	Approved 08.02.2019
- Thirty Disc Brake	35 mm rim	24 spokes	Approved 08.02.2019

BLACKJACK

- C50	50 mm rim	18 spokes	Approved 08.02.2019
- T35	35 mm rim	18 spokes	Approved 08.02.2019

BLKTEC

- C1	45 mm rim	12 spokes	Approved 14.12.2016
- C1C	45 mm rim	12 spokes	Approved 14.12.2016
- C3	30 mm rim	20 spokes	Approved 14.12.2016
- C3C	30 mm rim	20 spokes	Approved 14.12.2016
- C4	40 mm rim	20 spokes	Approved 14.12.2016
- C4C	40 mm rim	20 spokes	Approved 14.12.2016
- C5	50 mm rim	20 spokes	Approved 14.12.2016
- C5C	55 mm rim	20 spokes	Approved 14.12.2016

BOLA PRO

- R5	50 mm rim	20 spokes	Approved 21.07.2017
------	-----------	-----------	---------------------

BONTRAGER

- Aeolus XXX 6 Tubular (ex-Aeolus 6)	60 mm rim	18 spokes	Approved 22.03.2016
- Aeolus 5 TLR	50 mm rim	18 spokes	Approved 18.08.2016
- Aeolus 9 TLR	90 mm rim	18 spokes	Approved 13.03.2017

-	Aeolus 3 TLR	35 mm rim	18 spokes	Approved 13.03.2017
-	Aeolus 7 TLR	70 mm rim	18 spokes	Approved 13.03.2017
-	Aeolus XXX 2 Tubular	28 mm rim	18 spokes	Approved 13.03.2017
-	Aeolus XXX 6 Clincher	60 mm rim	18 spokes	Approved 13.03.2017
-	XXX 4 Tubular Disc (24H)	47 mm rim	24 spokes	Approved 16.02.2018
-	XXX 6 Tubular Disc (24H)	60 mm rim	24 spokes	Approved 16.02.2018
-	Aeolus XXX 2 Tubular Disc (24H)	28 mm rim	24 spokes	Approved 09.03.2018
-	Aeolus XXX 4 Tubular (18H)	47 mm rim	18 spokes	Approved 09.03.2018
-	Bontrager Aeolus Comp Disc	50 mm rim	24 spokes	Approved 08.06.2018
-	Bontrager Aeolus XXX 4 Clincher	47 mm rim	18 spokes	Approved 08.06.2018
-	Bontrager XXX 4 Tubular Disc	47 mm rim	24 spokes	Approved 08.06.2018
-	Aeolus Comp 5 Disc	50 mm rim	24 spokes	Approved 10.08.2018
-	Aeolus XXX 2 Clincher	28 mm rim	18 spokes	Approved 10.08.2018
-	Aeolus XXX 2 Clincher Disc	24 mm rim	24 spokes	Approved 10.08.2018
-	Aeolus XXX 6 Clincher Disc	60 mm rim	24 spokes	Approved 10.08.2018
-	Aeolus Pro 3 Clincher	30 mm rim	18 spokes	Approved 10.08.2018
-	Aeolus Pro 3 Disc Clincher	30 mm rim	24 spokes	Approved 10.08.2018
-	Aeolus Pro 5 Clincher	50 mm rim	18 spokes	Approved 10.08.2018
-	Aeolus Pro 5 Disc	50 mm rim	24 spokes	Approved 10.08.2018
-	Aeolus Pro 3V	35 mm rim	24 spokes	Approved 16.11.2018
-	Aeolus XXX 4 Clincher Disc	47 mm rim	24 spokes	Approved 16.11.2018

CAMPAGNOLO

-	Bora One 35 DB	35 mm rim	24 rayons	Approved 11.05.2018
-	Bora One 50 DB	50 mm rim	24 rayons	Approved 11.05.2018
-	Bora One WTO 77	77 mm rim	16 rayons	Approved 11.05.2018
-	Bora One 35 Clincher	35 mm rim	18 rayons	Approved 16.11.2018
-	Bora One 35 DB	35 mm rim	24 rayons	Approved 16.11.2018
-	Bora One 35 Tubular	35 mm rim	18 rayons	Approved 16.11.2018
-	Bora One 50 Clincher	50 mm rim	18 rayons	Approved 16.11.2018
-	Bora One 50 DB	50 mm rim	24 rayons	Approved 16.11.2018
-	Bora One 50 Tubular	50 mm rim	18 rayons	Approved 16.11.2018
-	Bora Ultra 35 Clincher	35 mm rim	18 rayons	Approved 16.11.2018
-	Bora Ultra 50 Clincher	50 mm rim	18 rayons	Approved 16.11.2018
-	Bora WTO 60	60 mm rim	18 rayons	Approved 16.11.2018

CADEN

-	Race Balance 38	38 mm rim	18 spokes	Approved 14.11.2016
-	Race Balance 49	49 mm rim	18 spokes	Approved 14.11.2016
-	Race Balance 59	59 mm rim	18 spokes	Approved 14.11.2016
-	Race Balance 81	81 mm rim	18 spokes	Approved 14.11.2016

CARBONRACING

-	CR5-55	55 mm rim	20 spokes	Approved 22.06.2018
---	--------	-----------	-----------	---------------------

CES SPORT

-	RC38	38 mm rim	20 spokes	Approved 16.02.2018
-	RC50	50 mm rim	20 spokes	Approved 16.02.2018
-	RC60	60 mm rim	20 spokes	Approved 16.02.2018
-	RC88	88 mm rim	20 spokes	Approved 16.02.2018

CITEC

-	Citec 8000 Ultra	77.8 mm	16 spokes	Approved 20.04.2018
-	Citec 8000 Ultra/63	61 mm rim	16 spokes	Approved 20.04.2018
-	Citec 8000 CX Carbon	78.4 mm rim	12 spokes	Approved 20.04.2018
-	Citec 8000 Ultra CX/53 Carbon	53 mm rim	12 spokes	Approved 20.04.2018
-	Citec 8000 Ultra CX/63 Carbon	61.7 mm rim	12 spokes	Approved 20.04.2018

CLIMAX

-	RW06	48 mm rim	20 spokes	Approved 22.06.2018
---	------	-----------	-----------	---------------------

CORIMA

-	32 S1 Boyau	32mm rim	18 spokes	Approved 31.03.2017
---	-------------	----------	-----------	---------------------

-	32 S+ Boyau	32 mm rim	18 spokes	Approved 31.03.2017
-	32 WS Boyau	32mm rim	18 spokes	Approved 31.03.2017
-	32 WS Boyau disque	32 mm rim	20 spokes	Approved 31.03.2017
-	32 MCC S+ Boyau	32 mm rim	12 spokes	Approved 31.03.2017
-	47 WS Boyau	47mm rim	18 spokes	Approved 31.03.2017
-	47 S+ Boyau	47 mm rim	18 spokes	Approved 31.03.2017
-	47 MCC S+ Boyau	47 mm rim	12 spokes	Approved 31.03.2017
-	58 WS+ pneu	58 mm rim	18 spokes	Approved 31.03.2017
-	58 S+ Boyau	58 mm rim	18 spokes	Approved 31.03.2017
-	32 WS pneu disque	32 mm rim	20 spokes	Approved 06.04.2018
-	32 WS pneu	32 mm rim	18 spokes	Approved 06.04.2018
-	32 WS+ pneu	32 mm rim	18 spokes	Approved 06.04.2018
-	47 MCC WS+ pneu	47 mm rim	12 spokes	Approved 06.04.2018
-	47 WS boyau disque	47 mm rim	20 spokes	Approved 06.04.2018
-	47 WS pneu	47 mm rim	18 spokes	Approved 06.04.2018
-	47 WS+ pneu	47 mm rim	18 spokes	Approved 06.04.2018

CRAFTWORX

-	ULTIMA CARBON C28	28 mm rim	20 spokes	Approved 31.07.2017
-	ULTIMA CARBON C38	38 mm rim	20 spokes	Approved 31.07.2017
-	ULTIMA CARBON C50	50mm rim	20 spokes	Approved 31.07.2017

CURVE CYCLING

-	Curve G4 35	35 mm rim	20 spokes	Approved 22.02.2017
-	Curve G4 45	45 mm rim	20 spokes	Approved 22.02.2017
-	Curve G4 55	55 mm rim	20 spokes	Approved 22.02.2017
-	Curve G4 70	69 mm rim	20 spokes	Approved 22.02.2017

DANISH BIKE

-	Kelvin SLR55C	55 mm rim	20 spokes	Approved 18.05.2018
-	Kelvin SLR44C	44 mm rim	20 spokes	Approved 14.09.2018

DARKHORSE WHEELS

-	DH50	50 mm rim	20 spokes	Approved 10.08.2016
-	DH60	60 mm rim	20 spokes	Approved 27.09.2016
-	DH88	88 mm rim	24 spokes	Approved 27.09.2016
-	DH36	36 mm rim	20 spokes	Approved 21.11.2016

DEDA ELEMENTI

-	SL30DB	30 mm rim	24 spokes	Approved 19.01.2018
-	SL38C	38 mm rim	18 spokes	Approved 19.01.2018
-	SL88	88 mm rim	18 spokes	Approved 16.02.2018

DEBELLO

-	R38T	38 mm rim	20 spokes	Approved 07.02.2017
-	R60T	60 mm rim	20 spokes	Approved 07.02.2017
-	R45T PRO	45 mm rim	20 spokes	Approved 07.02.2017

DETEC

-	KRIS-502	50 mm rim	18 spokes	Approved 11.08.2016
-	KRIS-382	38 mm rim	18 spokes	Approved 24.11.2016
-	VITE-604	60 mm rim	18 spokes	Approved 24.11.2016
-	VITE-504	50 mm rim	18 spokes	Approved 24.11.2016
-	VITE-382	38 mm rim	18 spokes	Approved 24.11.2016
-	ELITE-55	55 mm rim	18 spokes	Approved 24.11.2016

DOCTOR WHEEL

-	DRWL T38	38 mm rim	20 spokes	Approved 09.08.2017
-	DRWL 50	50 mm rim	20 spokes	Approved 26.07.2018
-	DRWL 60	60 mm rim	20 spokes	Approved 26.07.2018
-	DRWL 88	88 mm rim	20 spokes	Approved 26.07.2018

DT SWISS

-	R32 Spline	32 mm rim	20 spokes	Approved 30.03.2016
-	R32 Spline db	32 mm rim	24 spokes	Approved 30.03.2016
-	RC 28 Spline C	28 mm rim	20 spokes	Approved 30.03.2016
-	RC 28 Spline C Mon Chasseral	28 mm rim	20 spokes	Approved 30.03.2016
-	RC 38 Spline C	38 mm rim	20 spokes	Approved 30.03.2016
-	RC 38 Spline T db	38 mm rim	24 spokes	Approved 30.03.2016
-	RC 55 Spline C	55 mm rim	20 spokes	Approved 30.03.2016
-	RRC 65 Dicut C	65 mm rim	16 spokes	Approved 30.03.2016
-	RC 28 Spline C db	28 mm rim	24 spokes	Approved 30.03.2016
-	RC 38 Spline C Mon Chasseral	38 mm rim	20 spokes	Approved 30.03.2016
-	RC 38 Spline T Mon Chasseral	38 mm rim	20 spokes	Approved 30.03.2016
-	RC 38 Spline C db	38 mm rim	24 spokes	Approved 30.03.2016
-	ERC 1100 Dicut 47 db	47mm rim	24 spokes	Approved 24.11.2017
-	ERC 1400 Spline 47 db	47mm rim	24 spokes	Approved 24.11.2017
-	PRC 1400 Spline 35 db	35 mm rim	24 spokes	Approved 24.11.2017
-	PRC 1400 Spline 35 rb	35 mm rim	20 spokes	Approved 24.11.2017
-	PRC 1400 Spline 65 db	65 mm rim	24 spokes	Approved 24.11.2017
-	PRC 1400 Spline 65 rb	65 mm rim	20 spokes	Approved 24.11.2017
-	ER 1600 Spline 32 db	32 mm rim	24 spokes	Approved 24.11.2017
-	PR 1600 Spline 32 db	32 mm rim	24 spokes	Approved 24.11.2017
-	PR 1600 Spline 32 rb	32 mm rim	20 spokes	Approved 24.11.2017
-	ARC 1100 Dicut 48 db	48 mm rim	24 spokes	Approved 06.04.2018
-	ARC 1100 Dicut 48 rb	48 mm rim	20 spokes	Approved 06.04.2018
-	ARC 1100 Dicut 62 db	62 mm rim	24 spokes	Approved 06.04.2018
-	ARC 1100 Dicut 62 rb	62 mm rim	16 spokes	Approved 06.04.2018
-	ARC 1100 Dicut 80 db	80 mm rim	24 spokes	Approved 06.04.2018
-	ARC 1100 Dicut 80 rb	80 mm rim	16 spokes	Approved 06.04.2018
-	ARC 1400 Dicut 48 db	48 mm rim	24 spokes	Approved 06.04.2018
-	ARC 1400 Dicut 48 rb	48 mm rim	20 spokes	Approved 06.04.2018
-	ARC 1400 Dicut 62 db	62 mm rim	24 spokes	Approved 06.04.2018
-	ARC 1400 Dicut 62 rb	62 mm rim	16 spokes	Approved 06.04.2018
-	CRC 1100 Spline 38 db Tubular	38 mm rim	24 spokes	Approved 06.04.2018
-	PRC 1100 Dicut 35 rb	35 mm rim	20 spokes	Approved 06.04.2018
-	PR 1400 Oxid Dicut 32 rb	32 mm rim	20 spokes	Approved 06.04.2018
-	PRC 1100 Dicut 35 db	35 mm rim	24 spokes	Approved 06.04.2018
-	ARC 1400 Dicut 80 db	80 mm rim	24 spokes	Approved 04.05.2018
-	ARC 1400 Dicut 80 rb	80 mm rim	16 spokes	Approved 18.05.2018
-	PRC 1100 Dicut MC 35 rb	35 mm rim	18 spokes	Approved 18.05.2018

EHELON

-	U 38	38 mm rim	20 spokes	Approved 08.02.2019
-	U 50	50 mm rim	20 spokes	Approved 08.02.2019
-	U 60	60 mm rim	20 spokes	Approved 08.02.2019
-	UDT 50	50 mm rim	20 spokes	Approved 08.02.2019

EDCO

-	ProSport Julier Light	28 mm rim	18 spokes	Approved 22.04.2016
-	ProSport Pillon Light	35 mm rim	18 spokes	Approved 22.04.2016
-	ProSport Albis Light	50 mm rim	18 spokes	Approved 22.04.2016
-	AeroSport Umbrial Light	45 mm rim	16 spokes	Approved 22.04.2016
-	AeroSport Umbrial	45 mm rim	16 spokes	Approved 22.04.2016
-	AeroSport Gesero	65 mm rim	16 spokes	Approved 22.04.2016
-	AeroSport Gesero Light	65 mm rim	16 spokes	Approved 22.04.2016
-	TrackSport Fluella Light	85 mm rim	24 spokes	Approved 06.03.2017
-	Albis	50 mm rim	18 spokes	Approved 13.12.2018
-	Albis DB	50 mm rim	28 spokes	Approved 13.12.2018
-	Fluella	85 mm rim	16 spokes	Approved 13.12.2018
-	Fluella Light	85 mm rim	16 spokes	Approved 13.12.2018
-	Gesero DB	65 mm rim	24 spokes	Approved 13.12.2018
-	Julier	28 mm rim	18 spokes	Approved 13.12.2018
-	Julier DB	28 mm rim	28 spokes	Approved 13.12.2018
-	Pillon	35 mm rim	18 spokes	Approved 13.12.2018
-	Pillon DB	35 mm rim	28 spokes	Approved 13.12.2018



- Umbrial DB	45 mm rim	24 spokes	Approved 13.12.2018
- Umbrial Light DB	45 mm rim	24 spokes	Approved 13.12.2018

EGRESS

- MJ 50	50 mm rim	20 spokes	Approved 31.08.2018
---------	-----------	-----------	---------------------

ENGAGE

- C 55 UD	55 mm rim	20 spokes	Approved 09.03.2018
-----------	-----------	-----------	---------------------

ENERGYLAB

- VC40 Tubular	40 mm rim	20 spokes	Approved 15.11.2016
- VC40 Clincher	40 mm rim	20 spokes	Approved 15.11.2016
- VCD40	40 mm rim	28 spokes	Approved 15.11.2016
- VCD60	58 mm rim	28 spokes	Approved 15.11.2016
- VC90	87.5 mm rim	20 spokes	Approved 15.11.2016

ENVE COMPOSITES

- 4X4	56 mm rim	24 spokes	Approved 30.03.2016
- SES 7.8 Clincher Rim Brake	71 mm rim	20 spokes	Approved 14.11.2016
- SES 7.8 Tubular Rim Brake	71 mm rim	20 spokes	Approved 14.11.2016
- SES 7.8 Disc	71 mm rim	24 spokes	Approved 14.11.2016
- SES 3.4 CLINCHER DISC	38 mm rim	24 spokes	Approved 21.07.2017
- SES 3.4 CLINCHER	38 mm rim	20 spokes	Approved 21.07.2017
- SES 3.4 TUBULAR	38 mm rim	20 spokes	Approved 21.07.2017
- SES 3.4 Tubular Disc	38 mm rim	24 spokes	Approved 26.07.2018
- SES 4.5 AR Clincher	49 mm rim	24 spokes	Approved 26.07.2018
- SES 4.5 AR Tubular	49 mm rim	24 spokes	Approved 26.07.2018
- SES 5.6 Aero Clincher	54 mm rim	20 spokes	Approved 26.07.2018
- SES 5.6 Aero Clincher Disc	54 mm rim	20 spokes	Approved 26.07.2018
- SES 5.6 Tubular	54 mm rim	20 spokes	Approved 26.07.2018
- SES 5.6 Tubular Disc	54 mm rim	24 spokes	Approved 26.07.2018

FALCON

- Aero 50	50 mm rim	20 spokes	Approved 16.11.2018
-----------	-----------	-----------	---------------------

FARSPORTS

- FAR 30 AERO	30 mm rim	20 spokes	Approved 10.08.2016
- FAR 38 AERO	38 mm rim	20 spokes	Approved 10.08.2016
- FAR 50 AERO	50 mm rim	20 spokes	Approved 10.08.2016
- Ventoux C3	35 mm rim	18 spokes	Approved 19.01.2018
- Ventoux C5	45 mm rim	18 spokes	Approved 19.01.2018

FASTFORWARD WHEELS

- FFWD Road F3 Tubular	30 mm rim	20 spokes	Approved 20.12.2016
- FFWD Road F4 Tubular	45 mm rim	20 spokes	Approved 20.12.2016
- FFWD Road F9 Full Carbon Clincher	90 mm rim	20 spokes	Approved 20.12.2016
- FFWD Road F4 tubular DB	45 mm rim	24 spokes	Approved 13.04.2018
- FFWD Road F9 tubular	90 mm rim	20 spokes	Approved 13.04.2018
- FFWD Road F3 full carbon clincher	30 mm rim	20 spokes	Approved 13.04.2018
- FFWD Road F4 full carbon clincher	45 mm rim	20 spokes	Approved 13.04.2018
- FFWD Road F6 full carbon clincher	60 mm rim	20 spokes	Approved 13.04.2018

FASTR WHEELS

- RT28A	28 mm rim	20 spokes	Approved 31.08.2016
- RC30A	30 mm rim	20 spokes	Approved 31.08.2016
- RC40A	40 mm rim	20 spokes	Approved 31.08.2016
- RC50A	50 mm rim	20 spokes	Approved 31.08.2016
- RT30	30 mm rim	20 spokes	Approved 31.08.2016
- RT45	45 mm rim	20 spokes	Approved 31.08.2016
- RT55	55 mm rim	20 spokes	Approved 31.08.2016
- RT80	80 mm rim	20 spokes	Approved 31.08.2016
- RC30	30 mm rim	20 spokes	Approved 31.08.2016
- RC45	45 mm rim	20 spokes	Approved 31.08.2016



-	RC55	55 mm rim	20 spokes	Approved 31.08.2016
-	RC80	80 mm rim	20 spokes	Approved 31.08.2016

FLO CYCLING

-	Flo30	30 mm rim	20 spokes	Approved 19.01.2018
-	FLO 45 Carbon Clincher	45 mm rim	20 spokes	Approved 19.01.2018
-	FLO 60 Carbon Clincher	64 mm rim	20 spokes	Approved 19.01.2018
-	FLO 90 Carbon Clincher	90 mm rim	20 spokes	Approved 19.01.2018
-	Flo 60 Aluminum + Carbon	60 mm rim	20 spokes	Approved 19.01.2018
-	Flo 90 Aluminum + Carbon	90 mm rim	20 spokes	Approved 19.01.2018

FOIL

-	Foil Legend TLR 38mm	38 mm rim	20 spokes	Approved 30.03.2016
-	Foil Legend Team 38 mm	38 mm rim	20 spokes	Approved 30.03.2016
-	Foil Legend TLR 50mm	50 mm rim	20 spokes	Approved 30.03.2016
-	Foil Legend Team 50mm	50 mm rim	20 spokes	Approved 30.03.2016
-	Foil Legend TLR 60mm	60 mm rim	20 spokes	Approved 30.03.2016
-	Foil Legend Team 60mm	60 mm rim	20 spokes	Approved 30.03.2016
-	Foil Legend TLR 88mm	88 mm rim	20 spokes	Approved 27.09.2016
-	Foil Legend Team 88mm	88 mm rim	20 spokes	Approved 27.09.2016

FORZA

-	R45_19CC Disc	45 mm rim	24 spokes	Approved 06.04.2018
-	R45_19CC	45 mm rim	20 spokes	Approved 06.04.2018
-	R45_19CC DT370	45 mm rim	24 spokes	Approved 06.04.2018

FSE

-	EVO 35C	35 mm rim	20 spokes	Approved 10.08.2016
-	EVO 45C	45 mm rim	20 spokes	Approved 10.08.2016
-	EVO 55T	55 mm rim	20 spokes	Approved 10.08.2016

FULCRUM WHEELS S.R.L.

-	SPEED 40T	40 mm rim	18 spokes	Approved 27.09.2016
-	SPEED 40T DB	40 mm rim	21 spokes	Approved 27.09.2016
-	SPEED 55T	55 mm rim	18 spokes	Approved 27.09.2016
-	Racing Quattro Carbon	40 mm rim	18 spokes	Approved 12.10.2018
-	Racing Quattro Carbon DB	40 mm rim	21 spokes	Approved 12.10.2018
-	Speed 40C	40 mm rim	18 spokes	Approved 12.10.2018
-	Speed 55C	55 mm rim	18 spokes	Approved 12.10.2018

FULLCARBON

-	Fullcarbon VAIN 40	38 mm rim	20 spokes	Approved 09.02.2017
-	Fullcarbon VAIN 60	60 mm rim	20 spokes	Approved 09.02.2017
-	Fullcarbon VAIN 90	88 mm rim	20 spokes	Approved 09.02.2017
-	Fullcarbon Cruise 90	88 mm rim	20 spokes	Approved 09.02.2017
-	Fullcarbon Cruise 60	60 mm rim	20 spokes	Approved 09.02.2017
-	Fullcarbon Cruise 40	38 mm rim	20 spokes	Approved 09.02.2017
-	Rebel 90 w. DT240s upgrade	88 mm rim	20 spokes	Approved 09.02.2017
-	Rebel 50 w. DT240s upgrade	50 mm rim	20 spokes	Approved 09.02.2017

GIANT

-	SLR 0 CLIMBING	30 mm rim	16 spokes	Approved 30.03.2016
-	SLR 0 AERO	55 mm rim	16 spokes	Approved 30.03.2016
-	SLR 0 AERO TUBULAR	55 mm rim	16 spokes	Approved 08.12.2016
-	SLR 0 42 TUBULAR	42 mm rim	16 spokes	Approved 08.12.2016
-	SLR 0 CLIMBING TUBULAR	30 mm rim	16 spokes	Approved 08.12.2016
-	SLR 1 AERO	55 mm rim	16 spokes	Approved 08.12.2016
-	SLR 1 CLIMBING	30 mm rim	16 spokes	Approved 08.12.2016
-	SLR 0 Disc	30 mm rim	21 spokes	Approved 20.12.2016
-	SLR 0 AERO DISC	55 mm rim	21 spokes	Approved 20.12.2016
-	SLR 0 42 DISC TUBULAR	42 mm rim	21 spokes	Approved 20.12.2016
-	SLR 0 42 DISC	42 mm rim	21 spokes	Approved 20.12.2016
-	SLR 0 42	42 mm rim	16 spokes	Approved 20.12.2016

HED CYCLING PRODUCTS

-	Ardennes Black	24.5 mm rim	18 spokes	Approved 22.06.2018
-	Ardennes GP	24.5 mm rim	18 spokes	Approved 22.06.2018
-	Ardennes LT	24.5 mm rim	18 spokes	Approved 22.06.2018
-	Ardennes SL	24.5 mm rim	18 spokes	Approved 22.06.2018
-	Jet 4 Black Front	48 mm rim	18 spokes	Approved 22.06.2018
-	Jet 4 Plus	48 mm rim	18 spokes	Approved 22.06.2018
-	Jet 5 Black	54 mm rim	18 spokes	Approved 22.06.2018
-	Jet 5 Plus	54 mm rim	18 spokes	Approved 22.06.2018
-	Jet 5 Front – Tubular	54 mm rim	18 spokes	Approved 22.06.2018
-	Jet 6 Plus – Clincher	60 mm rim	18 spokes	Approved 22.06.2018
-	Jet 6 Black	60 mm rim	18 spokes	Approved 22.06.2018
-	Jet 9 Plus	90 mm rim	18 spokes	Approved 22.06.2018
-	Jet 9 Black	90 mm rim	18 spokes	Approved 22.06.2018
-	Stinger 3	38 mm rim	18 spokes	Approved 22.06.2018
-	Stinger 5	50 mm rim	18 spokes	Approved 22.06.2018
-	Stinger 6	60 mm rim	18 spokes	Approved 22.06.2018
-	Stinger 9	90 mm rim	18 spokes	Approved 22.06.2018
-	Vanquish 4	40 mm rim	18 spokes	Approved 22.06.2018
-	Vanquish 6	60 mm rim	18 spokes	Approved 22.06.2018
-	Vanquish 8	80 mm rim	18 spokes	Approved 22.06.2018

HUBSMITH

-	HS-TITAN CC38	38 mm rim	20 spokes	Approved 16.11.2016
---	---------------	-----------	-----------	---------------------

HUNT

-	Race Aero Wide	31 mm rim	20 spokes	Approved 31.01.2017
-	50 Carbon Wide Aero	50 mm rim	20 spokes	Approved 31.01.2017
-	5580 Carbon Wide Aero Tubular	55 mm rim	20 spokes	Approved 13.03.2017
-	45 Carbon Wide Aero Tubular	45 mm rim	20 spokes	Approved 13.03.2017
-	36 Carbon Wide Aero	36 mm rim	20 spokes	Approved 28.09.2018

ICAN

-	40C	40 mm rim	20 spokes	Approved 06.04.2018
---	-----	-----------	-----------	---------------------

ICON WHEELS

-	T3.0 Disc	30mm rim	24 spokes	Approved 26.10.2018
-	T4.5 Disc	45mm rim	24 spokes	Approved 26.10.2018

INDUSTRY NINE COMPENENTRY

-	I9.35	35 mm rim	24 spokes	Approved 23.08.2018
-	I9.45	45 mm rim	24 spokes	Approved 23.08.2018
-	I9.65	65 mm rim	24 spokes	Approved 23.08.2018

INFINITO CYCLING

-	R8C	80 mm rim	20 spokes	Approved 20.12.2016
-	R6T	60 mm rim	20 spokes	Approved 20.12.2016
-	R6C	60 mm rim	20 spokes	Approved 20.12.2016
-	R5AC	50 mm rim	20 spokes	Approved 20.12.2016
-	R4T	38 mm rim	20 spokes	Approved 20.12.2016
-	R4C	38 mm rim	20 spokes	Approved 20.12.2016
-	D5T	50 mm rim	28 spokes	Approved 20.12.2016

IRWIN

-	AON T 55	55 mm rim	20 spokes	Approved 16.11.2016
-	AON TLR 85	85 mm rim	16 spokes	Approved 14.12.2016
-	AON TLR 58	58 mm rim	20 spokes	Approved 14.12.2016
-	AON TLR 38	38 mm rim	20 spokes	Approved 14.12.2016
-	AON T 38	38 mm rim	20 spokes	Approved 07.02.2017
-	AON T 80	80 mm rim	16 spokes	Approved 15.03.2017

JAGU

-	Elite 30 Aero	30 mm rim	20 spokes	Approved 22.06.2016
-	Elite 45 Aero	45 mm rim	20 spokes	Approved 22.06.2016
-	Elite 55 Aero	55 mm rim	20 spokes	Approved 22.06.2016
-	Elite 80 Aero	80 mm rim	20 spokes	Approved 22.06.2016
-	Elite 36 Aero	36 mm rim	20 spokes	Approved 31.08.2016
-	Elite 50 Aero	50 mm rim	20 spokes	Approved 31.08.2016
-	Elite 36 Aero Clincher	36 mm rim	20 spokes	Approved 16.11.2016
-	Elite 45 Aero Clincher	45 mm rim	20 spokes	Approved 16.11.2016
-	Elite 50 Aero Clincher	50 mm rim	20 spokes	Approved 16.11.2016
-	Elite 55 Aero Clincher	55 mm rim	20 spokes	Approved 16.11.2016
-	Elite 30 Aero Clincher	30 mm rim	20 spokes	Approved 17.11.2016
-	Elite 45 Aero Clincher disc	45 mm rim	24 spokes	Approved 17.11.2016
-	Elite 55 Aero Clincher disc	55 mm rim	24 spokes	Approved 17.11.2016
-	Elite 55 Aero disc	55 mm rim	24 spokes	Approved 17.11.2016

KASTAR

-	R44 CA	44 mm rim	20 spokes	Approved 10.08.2018
-	R50 CA	50 mm rim	20 spokes	Approved 10.08.2018

KAVITEC

-	KAVITEC 4.0C	38 mm rim	20 spokes	Approved 08.03.2017
-	KAVITEC 4.0T	38 mm rim	20 spokes	Approved 08.03.2017
-	KAVITEC 5.5T	55 mm rim	20 spokes	Approved 08.03.2017
-	KAVITEC 5.6T	50 mm rim	20 spokes	Approved 08.03.2017

KAVULUNGAN

-	Vulung	38.8 mm rim	18 spokes	Approved 08.06.2018
-	Adou	58.8 mm rim	18 spokes	Approved 23.11.2018

KNIGHT

-	KNIGHT 35	35 mm rim	20 spokes	Approved 14.12.2016
-	KNIGHT 65	65 mm rim	20 spokes	Approved 14.12.2016
-	KNIGHT 95	95 mm rim	16 spokes	Approved 14.12.2016
-	35 TLA	35 mm rim	20 spokes	Approved 26.07.2018
-	35 TLA Disc	35 mm rim	24 spokes	Approved 26.07.2018
-	50 TLA	50 mm rim	20 spokes	Approved 26.07.2018
-	50 TLA Disc	50 mm rim	24 spokes	Approved 23.08.2018

KRU

-	C-38	38 mm rim	20 spokes	Approved 21.11.2016
-	C-55	55 mm rim	20 spokes	Approved 21.11.2016
-	C-88	88 mm rim	20 spokes	Approved 21.11.2016
-	T-38	38 mm rim	20 spokes	Approved 21.11.2016
-	T-55	55 mm rim	20 spokes	Approved 21.11.2016
-	T-88	88 mm rim	20 spokes	Approved 21.11.2016

LAMBDA RACING

-	CC-55X26	55 mm rim	20 spokes	Approved 09.03.2018
-	CC-80x26	80 mm rim	20 spokes	Approved 09.03.2018
-	CC-55x26 DELUXE	55 mm rim	18 spokes	Approved 14.09.2018
-	CC-70x26 DELUXE	70 mm rim	18 spokes	Approved 14.09.2018

LEEZE

-	CC38	38 mm rim	18 spokes	Approved 10.08.2016
-	CT38	38 mm rim	18 spokes	Approved 10.08.2016
-	CC60	60 mm rim	18 spokes	Approved 10.08.2016
-	CT60	60 mm rim	18 spokes	Approved 10.08.2016
-	CC88	88 mm rim	16 spokes	Approved 10.08.2016
-	CT88	88 mm rim	16 spokes	Approved 10.08.2016

LIGHT BICYCLE

-	WRU45CO2	45 mm rim	20 spokes	Approved 21.11.2016
---	----------	-----------	-----------	---------------------

LIGHTWEIGHT

-	Meilenstein Pro	47.5 mm rim	16 spokes	Approved 22.03.2016
-	Meilenstein	47.5 mm rim	16 spokes	Approved 22.03.2016
-	Meilenstein Clincher	47.5 mm rim	16 spokes	Approved 22.03.2016
-	Meilenstein Tubular Disc	47.5 mm rim	20 spokes	Approved 28.11.2016
-	Meilenstein Clincher Disc	47.5 mm rim	20 spokes	Approved 28.11.2016

MAVIC

-	COSMIC CARBONE 40 ELITE C	40 mm rim	16 spokes	Approved 06.07.2016
-	COSMIC CARBONE 40 T	40 mm rim	16 spokes	Approved 06.07.2016
-	COSMIC ELITE	30 mm rim	20 spokes	Approved 06.07.2016
-	COSMIC ELITE S	30 mm rim	20 spokes	Approved 06.07.2016
-	COSMIC PRO CARB DISC C	45 mm rim	24 spokes	Approved 06.07.2016
-	COSMIC PRO CARB EXA C	45 mm rim	16 spokes	Approved 06.07.2016
-	COSMIC PRO CARB UB C	45 mm rim	16 spokes	Approved 06.07.2016
-	COSMIC PRO CARB SL C	40 mm rim	18 spokes	Approved 06.07.2016
-	COSMIC PRO CARB SL DISC C	40 mm rim	24 spokes	Approved 06.07.2016
-	COSMIC PRO CARBON SL T	40 mm rim	16 spokes	Approved 06.07.2016
-	COSMIC PRO CARBON SL T DISC	40 mm rim	24 spokes	Approved 06.07.2016
-	COSMIC ULTIMATE Gamme 15	40 mm rim	20 spokes	Approved 06.07.2016
-	COSMIC ULTIMATE Gamme 17	40 mm rim	20 spokes	Approved 06.07.2016
-	CXR 60 ELITE	60 mm rim	18 spokes	Approved 06.07.2016
-	CXR 60 ELITE DISC	60 mm rim	24 spokes	Approved 06.07.2016
-	CXR 60 ELITE EXALITH	60 mm rim	18 spokes	Approved 06.07.2016
-	CXR 80 T SANS PROFILS	80 mm rim	16 spokes	Approved 06.07.2016
-	CXR ULTIMATE 80 T	80 mm rim	16 spokes	Approved 06.07.2016
	SANS PROFILS			
-	CXR 60 SANS PROFILS C	60 mm rim	16 spokes	Approved 06.07.2016
-	CXR 60 SANS PROFILS T	60 mm rim	16 spokes	Approved 06.07.2016
-	CXR ULTIMATE 60 T	60 mm rim	16 spokes	Approved 06.07.2016
-	CXR ULTIMATE 60 C	60 mm rim	16 spokes	Approved 06.07.2016
-	KSYRIUM	25 mm rim	20 spokes	Approved 06.07.2016
-	KSYRIUM 17C	21 mm rim	20 spokes	Approved 06.07.2016
-	KSYRIUM DISC	21 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM DISC 17C	21 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM ELITE	22 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM ELITE ALLROAD	26 mm rim	24 spokes	Approved 06.07.2016
	DISC 19C			
-	KSYRIUM ELITE DISC 17C	26 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM ELITE S	22 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO 17C LTD	24 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO CARBON SL C	25 mm rim	24 spokes	Approved 06.07.2016
	DISC (& HR)			
-	KSYRIUM PRO CARBON SL C (& HR)	25 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO CARBON SL T (& HR)	25 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO CARBON SL T DISC	25 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM PRO	24 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO DISC	26 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM PRO DISC 17C	26 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM PRO DISC ALLROAD	26 mm rim	24 spokes	Approved 06.07.2016
-	KSYRIUM PRO EXALITH (& HR)	24 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO EXALITH SL 15C LTD	24 mm rim	18 spokes	Approved 06.07.2016
-	KSYRIUM PRO SL	24 mm rim	18 spokes	Approved 06.07.2016
-	R-SYS SLR C	22 mm rim	16 spokes	Approved 06.07.2016
-	R-SYS SLR T	22 mm rim	16 spokes	Approved 06.07.2016
-	R-SYS SLR 15C LTD	22 mm rim	16 spokes	Approved 06.07.2016
-	KSYRIUM SLS T	22 mm rim	18 spokes	Approved 06.07.2016
-	Cosmic Elite UST	30 mm rim	20 spokes	Approved 07.09.2018



-	Cosmic Elite UST Disc	30 mm rim	24 spokes	Approved 07.09.2018
-	Comete Pro Carbon SL Tubular	64 mm rim	18 spokes	Approved 07.09.2018
-	Comete Pro Carbon SL UST	40 mm rim	18 spokes	Approved 07.09.2018
-	Comete Pro Carbon SL UST Disc	40 mm rim	24 spokes	Approved 07.09.2018
-	Comete Pro Carbon SL UST	64 mm rim	18 spokes	Approved 07.09.2018
-	Comete Pro Carbon SL UST Disc	64 mm rim	24 spokes	Approved 07.09.2018

MERIDA

-	Expert SL	24 mm rim	24 spokes	Approved 03.01.2017
-	Expert SL disc	22 mm rim	28 spokes	Approved 03.01.2017
-	Expert CW	30 mm rim	24 spokes	Approved 03.01.2017
-	Expert CC	18.3 mm rim	32 spokes	Approved 03.01.2017

MEMIL

-	ZEN 50	50 mm rim	20 spokes	Approved 13.03.2017
-	ZEN 38	38 mm rim	20 spokes	Approved 13.03.2017

MICHE

-	SWR FULL CARBON RC DX	36 mm rim	24 spokes	Approved 10.01.2017
-	ACTION 30	30 mm rim	20 spokes	Approved 10.01.2017
-	CROSS AXY	25 mm rim	18 spokes	Approved 10.01.2017
-	CROSS TUBE	25 mm rim	24 spokes	Approved 10.01.2017
-	RACE WP DX	30 mm rim	24 spokes	Approved 10.01.2017
-	RACE WP	26 mm rim	18 spokes	Approved 10.01.2017
-	REFLEX	25 mm rim	20 spokes	Approved 10.01.2017
-	REVOX RC DX	38 mm rim	24 spokes	Approved 10.01.2017
-	REVOX RC	38 mm rim	18 spokes	Approved 10.01.2017
-	SUPERTYPE 338	38 mm rim	18 spokes	Approved 10.01.2017
-	SUPERTYPE 350	38 mm rim	18 spokes	Approved 10.01.2017
-	SUPERTYPE 550	50 mm rim	18 spokes	Approved 10.01.2017
-	SWR RC 36	36 mm rim	18 spokes	Approved 10.01.2017
-	SWR RC 36/50	36 mm rim	18 spokes	Approved 10.01.2017
-	SWR RC 50	50 mm rim	18 spokes	Approved 10.01.2017
-	CROSS TUBE DX	24 mm rim	28 spokes	Approved 08.12.2017
-	GRAFF	22 mm rim	24 spokes	Approved 08.12.2017
-	SYNTIUM AXY	25 mm rim	18 spokes	Approved 08.12.2017
-	SYNTIUM DX	24 mm rim	24 spokes	Approved 08.12.2017

MOSTSPORT

-	SL38 Disc	38 mm rim	24 spokes	Approved 13.12.2018
-	SL50 Tubular	50 mm rim	20 spokes	Approved 13.12.2018
-	SL60 Clincher	60 mm rim	20 spokes	Approved 13.12.2018

NO LIMITED IWONA DEMKOWICZ

-	Race CFC 50	50 mm rim	20 spokes	Approved 27.09.2016
-	Race 60	60 mm rim	16 spokes	Approved 27.09.2016
-	Race 88	88 mm rim	16 spokes	Approved 27.09.2016

NOVATEC

-	R3	38 mm rim	20 spokes	Approved 22.06.2016
-	R9	90 mm rim	16 spokes	Approved 22.06.2016
-	R3-21mm	38 mm rim	20 spokes	Approved 10.08.2016
-	IMPULSE	32 mm rim	20 spokes	Approved 30.08.2016
-	JETFLY	32 mm rim	20 spokes	Approved 30.08.2016
-	R5	50 mm rim	20 spokes	Approved 14.11.2016

ODIN

-	ORC-1550	50 mm rim	20 spokes	Approved 19.01.2018
-	ORT-1350	38 mm rim	20 spokes	Approved 19.01.2018

OHRCYCLING

-	R3C	30 mm rim	20 spokes	Approved 22.11.2016
-	R4C	38 mm rim	20 spokes	Approved 22.11.2016

-	R4T	38 mm rim	20 spokes	Approved 22.11.2016
-	R5C	50 mm rim	20 spokes	Approved 22.11.2016
-	R5T	50 mm rim	20 spokes	Approved 22.11.2016
-	R8C	88 mm rim	20 spokes	Approved 22.11.2016
-	R8T	88 mm rim	20 spokes	Approved 22.11.2016
-	D3C	30 mm rim	24 spokes	Approved 22.11.2016
-	D4C	38 mm rim	24 spokes	Approved 22.11.2016
-	D4T	38 mm rim	24 spokes	Approved 22.11.2016
-	D5C	50 mm rim	24 spokes	Approved 22.11.2016
-	D5T	50 mm rim	24 spokes	Approved 22.11.2016
-	D8C	88 mm rim	24 spokes	Approved 22.11.2016
-	D8T	88 mm rim	24 spokes	Approved 22.11.2016
-	S3C	30 mm rim	24 spokes	Approved 22.11.2016
-	S4C	38 mm rim	24 spokes	Approved 22.11.2016
-	S4T	38 mm rim	24 spokes	Approved 22.11.2016
-	S5C	50 mm rim	24 spokes	Approved 22.11.2016
-	S5T	50 mm rim	24 spokes	Approved 22.11.2016
-	S8C	88 mm rim	24 spokes	Approved 22.11.2016
-	S8T	88 mm rim	24 spokes	Approved 22.11.2016
-	X2C 27.5	23 mm rim	24 spokes	Approved 22.11.2016
-	X2C 29.0	23 mm rim	24 spokes	Approved 22.11.2016
-	X3C 27.5	32 mm rim	24 spokes	Approved 22.11.2016

ORBIT DESIGN

-	Meson-CH	55 mm rim	18 spokes	Approved 14.11.2016
-	Hyperon-CH	35 mm rim	18 spokes	Approved 14.11.2016
-	Hyperon-TU	35 mm rim	18 spokes	Approved 14.11.2016
-	ION	38 mm rim	24 spokes	Approved 22.06.2018

ORR CARBON WHEEL SYSTEMS

-	Gen3 3.4	36 mm rim	20 spokes	Approved 27.09.2016
-	Gen3 6.4	60 mm rim	20 spokes	Approved 27.09.2016
-	Gen3 8.4	80 mm rim	20 spokes	Approved 27.09.2016

PARCOURS

-	Grimpeur	38 mm rim	20 spokes	Approved 30.08.2016
-	Passista	56 mm rim	20 spokes	Approved 30.08.2016
-	Chrono	86 mm rim	20 spokes	Approved 30.08.2018

PACENTI

-	Forza 650b Disc Brake	22 mm rim	28 spokes	Approved 23.03.2018
-	Forza 700C Rim Brake	25 mm rim	24 spokes	Approved 23.03.2018
-	Forza 700C Disk Brake	25 mm rim	28 spokes	Approved 23.03.2018
-	Carbon C45	45 mm rim	24 spokes	Approved 13.04.2018

PRIME

-	BlackEdition 28 Carbon Disc	28 mm rim	24 spokes	Approved 23.08.2018
-	BlackEdition 28 Carbon	28 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 28 Carbon Tubular	28 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 38 Carbon	38 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 38 Carbon Disc	38 mm rim	24 spokes	Approved 23.08.2018
-	BlackEdition 38 Carbon Tubular	38 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 50 Carbon	50 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 50 Carbon Disc	50 mm rim	24 spokes	Approved 23.08.2018
-	BlackEdition 50 Carbon Tubular	50 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 60 Carbon	60 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 60 Carbon Disc	60 mm rim	24 spokes	Approved 23.08.2018
-	BlackEdition 60 Carbon Tubular	60 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 85 Carbon	85 mm rim	20 spokes	Approved 23.08.2018
-	BlackEdition 85 Carbon Disc	85 mm rim	24 spokes	Approved 23.08.2018
-	BlackEdition 85 Carbon Tubular	85 mm rim	20 spokes	Approved 23.08.2018

PRINCETON CARBON WORKS

- Wake 6560 60 mm rim 16 spokes Approved 16.02.2018

PROGRESS

- A500 50 mm rim 18 spokes Approved 08.12.2016
 - APRIME 50 mm rim 18 spokes Approved 08.12.2016

PRO-LITE

- Bortola C28W 28 mm rim 20 spokes Approved 10.08.2016
 - Bracciano A27 27 mm rim 20 spokes Approved 10.08.2016
 - Bracciano A42 42 mm rim 20 spokes Approved 10.08.2016
 - Bracciano C45 45 mm rim 20 spokes Approved 10.08.2016
 - Cicilia C28W 28 mm rim 20 spokes Approved 10.08.2016

PRO-LITE

- Prototype Racing Parts 38 mm rim 20 spokes Approved 24.11.2017

PROTOTYPE

- PRO TOUR 3SL 38 mm rim 20 spokes Approved 24.11.2017
 - PRO TOUR 5SL 50 mm rim 20 spokes Approved 16.02.2018
 - JOKER 88 mm rim 20 spokes Approved 18.01.2019
 - PRO TOUR 2SL 25 mm rim 20 spokes Approved 18.01.2019

QUAI

- R35 35mm rim 20 spokes Approved 09.06.2017
 - R50 50mm rim 20 spokes Approved 09.06.2017
 - ISOS 700C PRO 41mm rim 28 spokes Approved 09.06.2017

RACE ON

- Carbon C30 30 mm rim 20 spokes Approved 19.01.2018
 - Carbon C38 38 mm rim 20 spokes Approved 19.01.2018
 - Carbon C50 50 mm rim 20 spokes Approved 19.01.2018
 - WorldTour R30 30 mm rim 20 spokes Approved 19.01.2018
 - WorldTour R38 38 mm rim 20 spokes Approved 19.01.2018
 - WorldTour R50 50 mm rim 20 spokes Approved 19.01.2018

RAR

- RAR Even 38mm 38 mm rim 20 spokes Approved 19.01.2018
 - RAR Even 50mm 50 mm rim 20 spokes Approved 19.01.2018
 - RAR Exalt 40mm 40 mm rim 20 spokes Approved 19.01.2018

REBEL

- Rebel 50 50 mm rim 20 spokes Approved 28.09.2016
 - Rebel 90 88 mm rim 20 spokes Approved 28.09.2016
 - Rebel 50 45 mm rim 20 spokes Approved 11.05.2018
 - Rebel 80 80 mm rim 20 spokes Approved 11.05.2018

REMERX

- Rapid 28 mm rim 20 spokes Approved 22.03.2016
 - SAW 50 50 mm rim 20 spokes Approved 22.03.2016
 - SAW 38 38 mm rim 20 spokes Approved 22.03.2016
 - ROAD ONE 24 mm rim 24 spokes Approved 22.03.2016

REVOLVER

- Kronostok 4 38 mm rim 20 spokes Approved 27.09.2016
 - Kronostok 5 50 mm rim 20 spokes Approved 27.09.2016
 - Kronostok 6 60 mm rim 20 spokes Approved 27.09.2016
 - Kronostok FWS 3.5 35 mm rim 20 spokes Approved 20.12.2016
 - Kronostok FWS 4.5 45 mm rim 20 spokes Approved 20.12.2016
 - Kronostok FWS 5.5 55 mm rim 20 spokes Approved 20.12.2016
 - Kronostok FWS 7 69 mm rim 20 spokes Approved 20.12.2016
 - Kronostok FWS 8 79 mm rim 20 spokes Approved 15.09.2017
 - Kronostok 9 88 mm rim 20 spokes Approved 15.09.2017

REYNOLDS CYCLING

-	STRIKE	60.5 mm rim	16 spokes	Approved 15.09.2017
-	Aero 65	65 mm rim	18 spokes	Approved 08.01.2018
-	Aero 80	80 mm rim	18 spokes	Approved 08.01.2018
-	Assault	41 mm rim	18 spokes	Approved 08.01.2018
-	ATR DB	28 mm rim	24 spokes	Approved 08.01.2018
-	2017 Assault	41 mm rim	20 spokes	Approved 08.01.2018
-	2017 Attack	29 mm rim	20 spokes	Approved 08.01.2018
-	2017 Strike	60.5 mm rim	20 spokes	Approved 08.01.2018
-	Aero 46 DB	46 mm rim	20 spokes	Approved 13.04.2018
-	Aero 65 DB	65 mm rim	20 spokes	Approved 13.04.2018
-	Assault DB	41 mm rim	24 spokes	Approved 13.04.2018
-	Assault LE	41 mm rim	24 spokes	Approved 13.04.2018
-	Assault LE 650b	41 mm rim	24 spokes	Approved 13.04.2018
-	Attack DB	29 mm rim	24 spokes	Approved 13.04.2018
-	Strike DB	62 mm rim	24 spokes	Approved 13.04.2018

RITCHEY

-	WCS APEX38	38 mm rim	20 spokes	Approved 16.11.2016
-	WCS APEX38 Disc	38 mm rim	24 spokes	Approved 16.11.2016
-	WCS APEX50	50 mm rim	20 spokes	Approved 16.11.2016

ROLF PRIMA

-	Ares6	60 mm rim	16 spokes	Approved 22.03.2016
-	Ares6 ES	60 mm rim	16 spokes	Approved 22.03.2016
-	Ares4	42 mm rim	16 spokes	Approved 22.03.2016
-	Ares4 ES	42 mm rim	16 spokes	Approved 22.03.2016
-	Ares3	35 mm rim	16 spokes	Approved 22.03.2016
-	Ares3 ES	35 mm rim	16 spokes	Approved 22.03.2016
-	58RSC	58 mm rim	16 spokes	Approved 22.03.2016
-	Eos3	32 mm rim	14 spokes	Approved 13.04.2016
-	TdF6	60 mm rim	16 spokes	Approved 13.04.2016
-	Vigor ES	32 mm rim	24 spokes	Approved 13.04.2016
-	Vigor RS	32 mm rim	16 spokes	Approved 12.05.2016
-	TdF4 SL	42 mm rim	16 spokes	Approved 12.05.2016
-	Vigor Alpha	31 mm rim	14 spokes	Approved 15.11.2016
-	Vigor	31 mm rim	14 spokes	Approved 15.11.2016
-	Echelon	31 mm rim	16 spokes	Approved 15.11.2016

ROLLING STONE

-	AERO 40	40 mm rim	18 spokes	Approved 21.07.2017
---	---------	-----------	-----------	---------------------

RONIN CYCLING

-	5 series	50 mm rim	20 spokes	Approved 23.03.2018
---	----------	-----------	-----------	---------------------

ROSSO WHEELS

-	Rosso Wheels Ultralight	40 mm rim	20 spokes	Approved 26.07.2018
---	-------------------------	-----------	-----------	---------------------

ROTHAR

-	RV38-C23	38 mm rim	20 spokes	Approved 10.08.2016
-	RV38-T23	38 mm rim	20 spokes	Approved 10.08.2016
-	RV50-C23	50 mm rim	20 spokes	Approved 10.08.2016
-	RV50-T23	50 mm rim	20 spokes	Approved 10.08.2016
-	RV60-C23	60 mm rim	20 spokes	Approved 10.08.2016
-	RV60-T23	60 mm rim	20 spokes	Approved 10.08.2016
-	RV88-C23	88 mm rim	20 spokes	Approved 10.08.2016
-	RV88-T23	88 mm rim	20 spokes	Approved 10.08.2016
-	RVA38-C23	38 mm rim	20 spokes	Approved 20.12.2016
-	RVA50-C23	50 mm rim	20 spokes	Approved 20.12.2016
-	RVA60-C23	60 mm rim	20 spokes	Approved 20.12.2016
-	RVA90-C23	90 mm rim	20 spokes	Approved 20.12.2016
-	RV38FD-T25	38 mm rim	24 spokes	Approved 20.12.2016



-	RV38FD-C25	38 mm rim	24 spokes	Approved 20.12.2016
-	RV45FD-T25	45 mm rim	24 spokes	Approved 20.12.2016
-	RV45FD-C25	45 mm rim	24 spokes	Approved 20.12.2016

ROVAL

-	Roval CLX 32	32 mm rim	16 spokes	Approved 31.05.2016
-	Roval CLX 32 Disc	32 mm rim	21 spokes	Approved 31.05.2016
-	Roval CLX 40	40 mm rim	18 spokes	Approved 31.05.2016
-	Roval CLX 40 Tu	40 mm rim	18 spokes	Approved 31.05.2016
-	Roval CLX 60	60 mm rim	16 spokes	Approved 31.05.2016
-	Roval CLX 60 Tu	60 mm rim	16 spokes	Approved 31.05.2016
-	Roval CLX 64	64 mm rim	16 spokes	Approved 31.05.2016
-	Roval CLX 64 Tu	64 mm rim	16 spokes	Approved 31.05.2016
-	Roval CLX 64 Disc	64 mm rim	21 spokes	Approved 31.05.2016
-	Roval CLX 64 Disc Tu	64 mm rim	21 spokes	Approved 31.05.2016
-	Roval CLX 32 Tu	32 mm rim	16 spokes	Approved 15.11.2016
-	Roval CLX 32 Disc Tu	32 mm rim	21 spokes	Approved 15.11.2016
-	Roval CLX 50	50 mm rim	16 spokes	Approved 15.11.2016
-	Roval CLX 50 Tu	50 mm rim	16 spokes	Approved 15.11.2016
-	Roval CLX 50 Disc	50 mm rim	21 spokes	Approved 15.11.2016
-	Roval CLX 50 Disc Tu	50 mm rim	21 spokes	Approved 15.11.2016
-	Roval CL 32	32 mm rim	16 spokes	Approved 25.01.2017
-	Roval CL 32 Disc	32 mm rim	21 spokes	Approved 25.01.2017
-	Roval CL 40	40 mm rim	18 spokes	Approved 25.01.2017
-	Roval CL 40 Disc	40 mm rim	24 spokes	Approved 25.01.2017
-	Roval CL 60	60 mm rim	21 spokes	Approved 25.01.2017
-	Roval CL 64	64 mm rim	16 spokes	Approved 25.01.2017
-	Roval CL 64 Disc	64 mm rim	21 spokes	Approved 25.01.2017

RUBAR

-	Rubar Asura 50	50 mm rim	20 spokes	Approved 15.09.2017
---	----------------	-----------	-----------	---------------------

SACRA

-	4G-50-TU	50 mm rim	20 spokes	Approved 09.08.2017
---	----------	-----------	-----------	---------------------

SCOPE

-	R3C	30 mm rim	18 spokes	Approved 11.04.2017
-	R4C	45 mm rim	18 spokes	Approved 11.04.2017
-	R5C	55 mm rim	18 spokes	Approved 11.04.2017

SHIMANO

-	WH-R9100-C24-CL-F	21 mm rim	16 spokes	Approved 06.07.2016
-	WH-R9100-C40-TU-F	36.6 mm rim	16 spokes	Approved 06.07.2016
-	WH-R9100-C60-TU-F	61.6 mm rim	16 spokes	Approved 15.11.2016
-	WH-R9100-C60-CL-F	50 mm rim	16 spokes	Approved 15.11.2016
-	WH-R9100-C40-CL-F	34.7 mm rim	16 spokes	Approved 29.11.2016
-	WH-R9170-C40-TU-F12	36.6 mm rim	24 spokes	Approved 31.03.2017
-	WH-R9170-C60-TU-F12	61.6 mm rim	24 spokes	Approved 31.03.2017
-	WH-RS500-TL-F	23 mm rim	16 spokes	Approved 14.07.2017
-	WH-R9170-C40-TL-F12	36 mm rim	24 spokes	Approved 15.09.2017
-	WH-RS770-C30-TL-F12	28 mm rim	24 spokes	Approved 10.11.2017
-	WH-RS700-C30-TL-F	24 mm rim	16 spokes	Approved 19.01.2018
-	WH-RS300-CL-F	24 mm rim	16 spokes	Approved 09.03.2018

SICASSO

-	S30C	30 mm rim	20 spokes	Approved 10.08.2016
-	S45C	45 mm rim	20 spokes	Approved 10.08.2016
-	S55C	55 mm rim	20 spokes	Approved 10.08.2016
-	S80C	80 mm rim	20 spokes	Approved 10.08.2016

SPEEDSIX

-	EVO 35 Tubular	35 mm rim	20 spokes	Approved 01.06.2018
-	EVO 45 Tubular	45 mm rim	20 spokes	Approved 01.06.2018



-	EVO 55 Tubular	55 mm rim	20 spokes	Approved 01.06.2018
-	EVO 55 Clincher	55 mm rim	20 spokes	Approved 01.06.2018
-	TRI-Efficiency 55 Tubular	55 mm rim	20 spokes	Approved 01.06.2018
-	TRI-Efficiency 55 Clincher	55 mm rim	20 spokes	Approved 01.06.2018

SPEEDX

-	SPEEDX-50	50 mm rim	18 spokes	Approved 10.01.2017
---	-----------	-----------	-----------	---------------------

SPHERIK

-	4 S 5	40 mm rim	20 spokes	Approved 15.11.2016
-	4 S 5D	40 mm rim	24 spokes	Approved 15.11.2016
-	5 S 6	45 mm rim	20 spokes	Approved 15.11.2016
-	5 S 6D	45 mm rim	24 spokes	Approved 15.11.2016
-	6 S 8	65 mm rim	20 spokes	Approved 15.11.2016

SRAM - ZIPP

-	454 NSW Tubular	53 mm rim	18 spokes	Approved 26.04.2017
-	454 NSW Carbon Clincher	53 mm rim	18 spokes	Approved 09.06.2017
-	858 NSW Clincher Rim Brake	82 mm rim	18 spokes	Approved 31.07.2017
-	858 NSW Clincher Disc Brake	82 mm rim	24 spokes	Approved 17.11.2017
-	202 Clincher Rim Brake	32 mm rim	18 spokes	Approved 22.06.2018
-	202 Tubeless Disc Brake	32 mm rim	24 spokes	Approved 22.06.2018
-	302 Clincher Disc Brake	45 mm rim	24 spokes	Approved 22.06.2018
-	302 Clincher Rim Brake	45 mm rim	18 spokes	Approved 22.06.2018
-	303 Tubular Disc Brake	45 mm rim	24 spokes	Approved 22.06.2018
-	303 Tubeless Disc Brake	45 mm rim	24 spokes	Approved 22.06.2018
-	303 Tubeless Rim Brake	45 mm rim	18 spokes	Approved 22.06.2018
-	404 Tubeless Disc Brake	58 mm rim	24 spokes	Approved 22.06.2018
-	404 Tubeless Rim Brake	58 mm rim	18 spokes	Approved 22.06.2018
-	454 NSW Tubular Disc Brake	53 mm rim	24 spokes	Approved 22.06.2018
-	808 Tubeless Rim Brake	82 mm rim	18 spokes	Approved 22.06.2018
-	808 Tubeless Disc Brake	82 mm rim	24 spokes	Approved 22.06.2018

STAN'S NOTUBES

-	AVION R	40.8 mm rim	18 spokes	Approved 20.12.2016
---	---------	-------------	-----------	---------------------

STEP

-	38 C	38mm rim	24 spokes	Approved 29.09.2017
-	38 T	38mm rim	24 spokes	Approved 29.09.2017
-	50 C	50mm rim	24 spokes	Approved 29.09.2017
-	50 T	50mm rim	24 spokes	Approved 29.09.2017
-	60 T	60mm rim	24 spokes	Approved 29.09.2017
-	85 T	85mm rim	24 spokes	Approved 29.09.2017

STOX BY HAND

-	STOX CC35	35mm rim	20 spokes	Approved 23.03.2018
-	STOX CC50	50 mm rim	20 spokes	Approved 29.06.2018

SUPRA

-	RA Elite Lite	30 mm rim	20 spokes	Approved 24.11.2016
-	RCA 55 Elite SL	55 mm rim	20 spokes	Approved 24.11.2016
-	RFC 55 Elite SL	55 mm rim	20 spokes	Approved 24.11.2016

SWISS SIDE

-	Hadron 485	48.5 mm rim	18 spokes	Approved 07.04.2016
-	Hadron Ultimate 485	48.5 mm rim	16 spokes	Approved 07.04.2016
-	Hadron 625	62.5 mm rim	18 spokes	Approved 07.04.2016
-	Hadron Ultimate 625	62.5 mm rim	16 spokes	Approved 07.04.2016
-	Hadron 800+	80 mm rim	18 spokes	Approved 07.04.2016
-	Hadron Ultimate 800+	80 mm rim	16 spokes	Approved 07.04.2016
-	Hadron Classic 485 (DT hub)	Jante 48 mm	20 spokes	Approved 23.11.2018
-	Hadron Classic 485 disc (DT hub)	Jante 48 mm	24 spokes	Approved 23.11.2018
-	Hadron Ultimate 485 (DT hub)	Jante 48 mm	20 spokes	Approved 23.11.2018

-	Hadron Ultimate 485 disc (DT hub)	Jante 48 mm	24 spokes	Approved 23.11.2018
-	Hadron Classic 625 (DT hub)	Jante 62 mm	16 spokes	Approved 23.11.2018
-	Hadron Classic 625 disc (DT hub)	Jante 62 mm	24 spokes	Approved 23.11.2018
-	Hadron Ultimate 625 (DT hub)	Jante 62 mm	16 spokes	Approved 23.11.2018
-	Hadron Ultimate 625 disc (DT hub)	Jante 62 mm	24 spokes	Approved 23.11.2018
-	Hadron Classic 800 (DT hub)	Jante 80 mm	16 spokes	Approved 23.11.2018
-	Hadron Classic 800 disc (DT hub)	Jante 80 mm	24 spokes	Approved 23.11.2018
-	Hadron Ultimate 800 (DT hub)	Jante 80 mm	16 spokes	Approved 23.11.2018
-	Hadron Ultimate 800 disc (DT hub)	Jante 800 mm	24 spokes	Approved 23.11.2018

TEC

-	INFINDO PRO T55	51 mm rim	18 spokes	Approved 10.08.2016
---	-----------------	-----------	-----------	---------------------

TLR

-	R.45 CLINCHER	45 mm rim	20 spokes	Approved 31.07.2017
-	R.45 TUBULAR	45 mm rim	20 spokes	Approved 31.07.2017

TOKEN

-	C38	38 mm rim	20 spokes	Approved 10.08.2016
-	C45 Resolute	44 mm rim	20 spokes	Approved 06.04.2018
-	Konax Pro	52 mm rim	18 spokes	Approved 06.04.2018
-	Konax Tri	76 mm rim	18 spokes	Approved 06.04.2018
-	Ventous	36 mm rim	18 spokes	Approved 06.04.2018
-	Konax Pro Disc	52 mm rim	24 spokes	Approved 10.08.2018
-	Ventous Disc	36 mm rim	24 spokes	Approved 10.08.2018

TOKYOWHEEL

-	Epic 3.4	33 mm rim	20 spokes	Approved 10.08.2016
-	Epic 5.6	55 mm rim	20 spokes	Approved 27.09.2016
-	Epic 7.10	70 mm rim	20 spokes	Approved 27.09.2016

TORZC

-	Racing Spec 2.2	25mm rim	20 spokes	Approved 23.03.2018
-	Racing Spec 3.2	32mm rim	20 spokes	Approved 23.03.2018
-	Racing Spec 4.2	45 mm rim	20 spokes	Approved 23.03.2018
-	Racing Spec 5.2	52 mm rim	20 spokes	Approved 23.03.2018
-	Racing Spec 7.2	70 mm rim	20 spokes	Approved 23.03.2018

TUFF

-	Premium 4.5	44mm rim	20 spokes	Approved 13.07.2018
-	TUFF EXO-35	35mm rim	18 spokes	Approved 13.07.2018

TUFO S.R.O.

-	Carbona 30	30 mm rim	20 spokes	Approved 10.08.2016
-	Carbona 45	45 mm rim	20 spokes	Approved 10.08.2016

TUNE GMBH

-	Schwarzbrenner 38C	38 mm rim	20 spokes	Approved 10.08.2016
-	Schwarzbrenner 38T	38 mm rim	20 spokes	Approved 10.08.2016
-	Schwarzbrenner 60C	60 mm rim	20 spokes	Approved 10.08.2016
-	Schwarzbrenner 60T	60 mm rim	20 spokes	Approved 10.08.2016
-	Airways	42 mm rim	20 spokes	Approved 10.08.2016
-	TSR27	27 mm rim	24 spokes	Approved 10.08.2016

URSUS S.P.A.

-	Miura T37	37 mm rim	20 spokes	Approved 12.05.2016
-	Miura TS37	37 mm rim	20 spokes	Approved 12.05.2016
-	Miura C37	37 mm rim	20 spokes	Approved 10.08.2016
-	Miura C50	50 mm rim	20 spokes	Approved 10.08.2016
-	Miura TS87	87 mm rim	20 spokes	Approved 10.08.2016
-	Miura TS37 Evo Disc	37 mm rim	24 spokes	Approved 10.08.2018
-	Miura TS47 Evo Disc	47 mm rim	24 spokes	Approved 10.08.2018

VELOSTRADA

-	Superleggera 7T	80 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 7C	79 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 6T	70 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 6C	69 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 5T	55 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 5C	55 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 4C	45 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 4T	45 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 3C	35 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 3T	35 mm rim	20 spokes	Approved 14.12.2016
-	Superleggera 2T	25 mm rim	20 spokes	Approved 14.12.2016

VELTEC

-	Speed 4.5	45 mm rim	20 spokes	Approved 17.11.2016
-	Speed 6.0	55 mm rim	20 spokes	Approved 17.11.2016
-	Speed AL	42 mm rim	20 spokes	Approved 17.11.2016
-	Speed AM	37 mm rim	20 spokes	Approved 17.11.2016

VISION

-	TriMax 35	35 mm rim	16 spokes	Approved 10.08.2016
-	TriMax T42	42 mm rim	18 spokes	Approved 10.08.2016
-	Metron 40 Clincher	40 mm rim	18 spokes	Approved 10.08.2016
-	Metron 55 Clincher	55 mm rim	18 spokes	Approved 10.08.2016
-	Metron 81 Clincher	81 mm rim	18 spokes	Approved 10.08.2016
-	Metron 30 SL Clincher	30 mm rim	16 spokes	Approved 06.04.2018
-	Metron 30 SL Tubular	30 mm rim	16 spokes	Approved 06.04.2018
-	Metron 40 SL Tubular DB	40 mm rim	21 spokes	Approved 06.04.2018
-	Metron 40 SL Clincher TL DB	40 mm rim	21 spokes	Approved 06.04.2018
-	Metron 55 SL Tubular DB	55 mm rim	21 spokes	Approved 06.04.2018
-	Metron 55 SL Clincher TL DB	55 mm rim	21 spokes	Approved 06.04.2018
-	Trimax 30 KB Clincher	30 mm rim	16 spokes	Approved 06.04.2018
-	Trimax 35 KB Clincher	35 mm rim	16 spokes	Approved 06.04.2018
-	Trimax Carbon 40 DB	40 mm rim	21 spokes	Approved 06.04.2018
-	Trimax Carbon 45 CSI Clincher	45 mm rim	16 spokes	Approved 06.04.2018
-	Metron 40 SL CH TL WH-VT-840CHTL /RB/SL 40 mm rim		16 spokes	Approved 26.07.2018
-	Metron 40 SL TU WH-VT-840TU /RB/SL 40 mm rim		16 spokes	Approved 26.07.2018
-	Metron 55 SL CH TL WH-VT-855CHTL /RB/SL 55 mm rim		16 spokes	Approved 26.07.2018
-	Metron 55 SL TU WH-VT-855TU RB/SL 55 mm rim		16 spokes	Approved 26.07.2018
-	Metron 81 SL CH TL WH-VT-880CHTL RB/SL 81 mm rim		16 spokes	Approved 26.07.2018
-	Metron 81 SL TU WH-VT-880TU RB/SL 81 mm rim		16 spokes	Approved 26.07.2018
-	Trimax 30 DB Clincher WH-VT-605CH	30 mm rim	21 spokes	Approved 26.07.2018
-	Trimax 40 Tubular WH-VT-742TU	40 mm rim	16 spokes	Approved 26.07.2018
-	Trimax 40 Clincher WH-VT-742CH	40 mm rim	16 spokes	Approved 26.07.2018

VISP BUILDER WHEEL

-	Basic Series 38 mm	38 mm rim	20 spokes	Approved 23.08.2018
-	Top Series 50 mm	50 mm rim	20 spokes	Approved 23.08.2018

VITTORIA

-	Qurano 60C	60 mm rim	16 spokes	Approved 24.11.2016
-	Qurano 30C	28 mm rim	16 spokes	Approved 24.11.2016
-	Qurano 46C	42 mm rim	16 spokes	Approved 24.11.2016
-	Fraxion	45 mm rim	16 spokes	Approved 24.11.2016
-	Alusion	32.5 mm rim	16 spokes	Approved 24.11.2016
-	Elusion	26 mm rim	16 spokes	Approved 24.11.2016
-	Elusion Nero	26 mm rim	16 spokes	Approved 24.11.2016

WHEEL ANGEL

-	23.2C	24 mm rim	20 spokes	Approved 10.08.2016
-	SL 28.4C	38 mm rim	18 spokes	Approved 10.08.2016
-	SL 28.5C	50 mm rim	18 spokes	Approved 10.08.2016



-	SL 28.6C	60 mm rim	18 spokes	Approved 10.08.2016
-	SL 28.8C	88 mm rim	16 spokes	Approved 10.08.2016

WHEELSCIENCE

-	Elemental 38mm Clincher – RB	38 mm rim	20 spokes	Approved 18.05.2018
-	Elemental 50mm Clincher – RB	50 mm rim	20 spokes	Approved 18.05.2018
-	Elemental 60mm Clincher – RB	60 mm rim	20 spokes	Approved 18.05.2018
-	Elemental 88mm Clincher – RB	88 mm rim	20 spokes	Approved 18.05.2018
-	Elemental 38mm Clincher – DB	38 mm rim	24 spokes	Approved 18.05.2018
-	Elemental 50mm Clincher – DB	50 mm rim	24 spokes	Approved 18.05.2018
-	Elemental 60mm Clincher – DB	60 mm rim	24 spokes	Approved 18.05.2018
-	Elemental 88mm Clincher – DB	88 mm rim	24 spokes	Approved 18.05.2018

WHEELWORKS

-	Maker 35	35 mm rim	20 spokes	Approved 10.08.2016
-	Maker 35 Tubular	35 mm rim	20 spokes	Approved 10.08.2016
-	Maker 35 SL	35 mm rim	20 spokes	Approved 10.08.2016
-	Maker 35 Disc	35 mm rim	24 spokes	Approved 10.08.2016
-	Maker 50	50 mm rim	20 spokes	Approved 10.08.2016
-	Maker 50 Tubular	50 mm rim	20 spokes	Approved 10.08.2016
-	Maker 50 SL	50 mm rim	20 spokes	Approved 10.08.2016
-	Maker 50 Disc	50 mm rim	24 spokes	Approved 10.08.2016
-	Maker 80	80 mm rim	20 spokes	Approved 10.08.2016
-	Maker AR Disc	29 mm rim	24 spokes	Approved 10.08.2016

WIAWIS

-	Pluma WRC 3823	38 mm rim	20 spokes	Approved 31.03.2017
-	Pluma WRT 5020	50 mm rim	28 spokes	Approved 31.03.2017

XENTIS

-	Squad 2.5	25 mm rim	20 spokes	Approved 09.08.2017
-	Squad 5.8	58 mm rim	20 spokes	Approved 09.08.2017
-	Squad 2.5 Race Tubular	25 mm rim	20 spokes	Approved 02.03.2018
-	Squad 2.5 Race Clincher	25 mm rim	20 spokes	Approved 02.03.2018
-	Squad 4.2 Race Tubular	42 mm rim	20 spokes	Approved 02.03.2018
-	Squad 4.2 Race Clincher	42 mm rim	20 spokes	Approved 02.03.2018
-	Squad 4.2 Race DB Tubular	42 mm rim	28 spokes	Approved 02.03.2018
-	Squad 5.8 Race Tubular	58 mm rim	20 spokes	Approved 02.03.2018
-	Squad 5.8 Race Clincher	58 mm rim	20 spokes	Approved 02.03.2018
-	Squad 5.8 Race DB Tubular	58 mm rim	28 spokes	Approved 02.03.2018

XERO

-	MACH 5 Tubular	51 mm rim	20 spokes	Approved 22.06.2016
-	MACH 5 Clincher	51 mm rim	20 spokes	Approved 30.08.2016

YAN AN

-	Yan 50	50 mm rim	20 spokes	Approved 05.01.2018
---	--------	-----------	-----------	---------------------

YOELEO

-	SAT C38 Clincher	38 mm rim	20 spokes	Approved 21.11.2016
-	SAT C50 Clincher	50 mm rim	20 spokes	Approved 21.11.2016
-	SAT C60 Clincher	60 mm rim	20 spokes	Approved 21.11.2016
-	SAT C88 Clincher	88 mm rim	20 spokes	Approved 21.11.2016
-	SAT T38 Tubular	38 mm rim	20 spokes	Approved 21.11.2016
-	SAT T50 Tubular	50 mm rim	20 spokes	Approved 21.11.2016
-	SAT T60 Tubular	60 mm rim	20 spokes	Approved 21.11.2016
-	SAT T88 Tubular	88 mm rim	20 spokes	Approved 21.11.2016
-	SAT C38 DB Clincher	38 mm rim	28 spokes	Approved 20.12.2016
-	SAT C50 DB Clincher	50 mm rim	28 spokes	Approved 20.12.2016
-	SAT C60 DB Clincher	60 mm rim	28 spokes	Approved 20.12.2016
-	SAT C88 DB Clincher	88 mm rim	28 spokes	Approved 20.12.2016
-	SAT T38 DB Tubular	38 mm rim	28 spokes	Approved 20.12.2016
-	SAT T50 DB Tubular	50 mm rim	28 spokes	Approved 20.12.2016



-	SAT T60 DB Tubular	60 mm rim	28 spokes	Approved 20.12.2016
-	SAT T88 DB Tubular	88 mm rim	28 spokes	Approved 20.12.2016
-	SAT CA38 Carbon Alloy Clincher	38 mm rim	20 spokes	Approved 20.12.2016
-	SAT CA60 Carbon Alloy Clincher	60 mm rim	20 spokes	Approved 20.12.2016
-	SAT CA80 Carbon Alloy Clincher	80 mm rim	20 spokes	Approved 20.12.2016

ZEAL

-	Camerig44	44 mm rim	20 spokes	Approved 19.01.2018
-	Camerig44 Disc	44 mm rim	24 spokes	Approved 19.01.2018

ZIRRUZ

-	RC-50	50 mm rim	20 spokes	Approved 29.06.2018
-	RT-88	88 mm rim	20 spokes	Approved 29.06.2018